




Medical Mini Computer with Intel 12th Generation processor



Features

- 12th generation Intel® Core™ i7/i5 processor
- Fanless design for superior hygiene and infection control
- Equipped with Advantech's DeviceOn device management software
- Compatible VESA 75 x 75mm & 100 x 100mm
- Optional Wi-Fi 6E, Bluetooth 5.3











Introduction

USM-100H is equipped with an integrated NVME SSD that facilitates real-time data processing and storage. Compliant with IEC/EN60601-1-2 Medical EMC standards for electrical devices, USM-100H terminals are built for reliable operation in a wide range of healthcare environments.

Moreover, USM-100H is equipped with Advantech's DeviceOn/iService software, which is a next-generation unified device management solution based on the WISE-DeviceOn platform. With support for batch operations and multi-device control, DeviceOn enables easy device configuration and deployment for convenient remote device management.


Specifications

Computing System	CPU	Intel® Core™ I5-1245UE 10cores,12M Cache, up to 4.40 GHz Intel® Core™ i7-1265UE 10cores,12M Cache, up to 4.70 GHz
	Memory	Memory (default) 8GB DDR5 (supports up to 32GB DDR5 SODIMM)
	Wi-Fi (M.2 2230)	1 (for Wi-Fi 6E)
	BlueTooth	BT5.3 (option)
	OS	(Optional) Win10 LTSC; Win 11 Pro; Ubutu 20.04
Storage	Primary Storage	NVME M.2 SSD 256GB (Max. support 2TB)
	DC in	x 1, DC 12V, max. 84W
	USB 3.1 Gen2 (Type A)	x 4
	USB 3 Type C	x 1 (For display only)
1/0	COM, RS232	х1
	HDMI	х1
	LAN non-isolation	1G x 2
	Mic in/ Head phone out	х1
	Dimensions (W x H x D)	169.5 x 230.6 x 43mm
Physical Characteristics	VESA Mount	100 x 100; 75 x 75mm
	Weight	1.5kg
Power Input	AC/DC	AC:100-240V, 96W, DC:12V, LOCK PLUG, Medical grade
Power Button	Power with LED indicator	х1
Certificate	EMC & Safety Cert.	Medical CE, FCC, IEC/EN 60601-1-2 4.1th, IEC/EN 60601-1 3.2th
Environment Temperature	Operating	0 ~ 35 °C/32 ~ 95 °F
Environment temperature	Storage	0 ~ 50 °C/32 ~ 122 °F
Humidity	Operating	10 ~ 95%, 40 °C
	Storage	5 ~ 95%, 60 °C
Shock Resistance	10G peak acceleration (11ms duration)	
Warranty	System 2 years	

AD\ANTECH



USM-100H




Order Information

Part Number	Description	DRAM	SSD	WIFI	
USM-100H-5400DA1	Core i5,8G RAM,DC In	8GB DDR5	Optional	Optional	
USM-100H-7400DA1	Core i7,16G RAM,DC In	16GB DDR5	Optional	Optional	

Power Cord

Region	Part Number (DC Model)
USA (Thailand, Philippines)	1702002600
Europe (Indonesia)	1702002605
UK (Singapore, Malaysia)	1700018704
Japan (PSE)	1700000237

I/O View



Component Offerings

Memory

Part Number	Description
SQR-SD5N8G5K6SNGPB	SODIMM DDR5 5600 8GB 1Gx16 Samsung
SQR-SD5N16G5K6SNPB	SODIMM DDR5 5600 16GB 2Gx8 Samsung
SQR-SD5N32G5K6SNPB	SODIMM DDR5 5600 32GB 2Gx8 Samsung

M.2 2280 SQF NVME

	E 10
Part Number	Description
SQF-C8MV2-128GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 128G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8MV2-256GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 256G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8MV4-512GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 512G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8MV4-1TCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 1T 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8MV4-2TDEDC	SQF PCle/NVMe M.2 2280 OPAL 720-C 2T 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8BV2-128GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 128G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8BV2-256GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 256G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8BV4-512GCEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 512G 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8BV4-1TDEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 1T 3D TLC BiCS4 (0 ~ 70 °C)
SQF-C8BV4-2TDEDC	SQF PCIe/NVMe M.2 2280 OPAL 720-C 2T 3D TLC BiCS4 (0 ~ 70 °C)

Wi-Fi + BT Module

Part Number	Description
EWM-W165M201E	Intel® Dual Band Wireless-AX210 (WiFi 6)

Online Download www.advantech.com/products



USM-100H

Bundle Selling with Medical-Grade Displays

Medical displays, PAX series, and box PCs, USM-100H operations work together to enable input/output of information, managing resources, and ensuring communication and security protocols for clinical application.

PAX series: Factory calibration included (choose either GAMMA or DICOM), user re-calibration supported

Part Number	Glass	Color
Display: PAX-121W-C2A-LFD	Clear Glass	White
Box PC: USM-100H-5400DA2	N/A	White
HDMI(1.2m): 1700023591-01	N/A	Black



Recommended Mounting Solution

Model Name	ARES-2421R
Part Number	ARES-2421R-HA74100
Photo	
Max. Support Weight	2 - 8kg
Max. Support Panel Size	≤ 27"
VESA Information	75 x 75 mm 100x100 mm

For more information, please clink this link: https://bit.ly/3T7dLMR



Software Add-ons Device real-time location software

Wi-Fi RTLS

Seamlessly connect your edge computing devices into the RTLS system

Advantech Wi-Fi RTLS infra-free software enables immediate location tracking and status monitoring of devices. RTLS contributes to asset management, improves patient care efficiency, and ensures equipment is used sustainably. It also supports compliance with health and safety regulations.



Deploy Faster



Order Information

Part Number	Description
31ASRTLSOF01B1	Android
31ASRTLS0F01B2	Windows
31ASRTLSOF01B3	Linux

Supported Models:

POC-4/6/8 series: USM-1/3/5 series: HIT-3/5 series

Contact us

Email: AiH.service@advantech.com

Click the link to visit our product page for more details, or scan the QR code.



Online Download www.advantech.com/products



DeviceOn

Unified Remote Device Management Software



Features

- Supports Advantech devices equipped with Windows, Android, and Linux OS
- · Flexible device, location, user, and permissions management
- Enables remote monitoring and control of hardware, software, and peripherals
- Supports over-the-air (OTA) firmware and software updates
- Ensures quick, easy, and secure device onboarding
- RESTful APIs for third-party system integration

Introduction

Advantech's DeviceOn/iService is a next-generation unified device management solution based on the WISE-DeviceOn platform. Designed to enable centralized monitoring and remote management, DeviceOn/iService supports Advantech devices equipped with Windows, Linux, or Android operating systems. The software also supports the management of applications and integrated peripherals, such as a barcode scanner, card reader, camera, and printer. Users can remotely access and control connected devices, take screenshots, rollout OTA upgrades, and use remote desktop capabilities for troubleshooting from any location at any time. Moreover, DeviceOn/iService supports batch operations to facilitate the management of multiple devices simultaneously for easy and convenient device configuration and deployment.

Total Management

Remote Access

Operational Efficiency



Devices & Hardware

- Windows, Linux, Android
- Hardware, storage, battery



Real-Time Monitoring

- Connection/hardware status
- Software/peripheral status
- Failure notifications



OTA updates

- System/software updates
- · File repository management
- App store



Software & Peripherals

- Software monitoring & access
- Screens, USB devices, printers



Remote Controls

- Power controls
- Audio, backlight controls
- Software controls



Batch Controls

- 1-to-many batch reboot, etc.
- Time-saving tasks



Open for Expansion

- Peripheral integration
- Open APIs for integration



Troubleshooting

- Screenshots
- · Remote desktop support



Setup Booster

- · Software/peripheral watchlist
- · Roles, rule templates

Note: Some functions may vary according to the product

System Architecture



AD\4NTECH



DeviceOn/iService

DeviceOn/iService Specifications

	Operating System	Windows 10
	Common Controls (Reboot, Shutdown)	√ ·
	Remote desktop	√(VNC)
	Device-Specific Controls (Audio, Backlight)	√× ′
	Connection Status	✓
DiO/i-Oi Dt-	Hardware Status	√ *
DeviceOn/iService Remote Device Management	Hard Disk Status	√ *
	Batch Operation Support	\checkmark
	OTA Storage Management	FTP
	OTA Software Updates	\checkmark
	Software Watchlist	\checkmark
	Software Start/Stop	√ *
* Dependant on device model	Peripherals Watchlist	√ *

Online Download www.advantech.com/products

Note:
1. DeviceOn/iService software must be downloaded from the Advantech website at https://www.advantech.com/search/?q=DeviceOn%2FiService&st=support&sst=Utility



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660