R15L600-65A1FTP
15" IP65 Stainless PCAP Chassis Display

KEY FEATURES

- IP65 compliant
- Robust and fanless design for reliable operation
- Fanless Cooling System and Ultra Low power consumption
- SUS 316/ AISI 316 stainless steel for food and chemical industries
- Special Flat Touch Design easy to maintain
- Projective Capacitive Touch
- Optical bonding (optional)

CE FC IP65

SPECIFICATIONS

Display

Resolution	1024x768	**Size**	15.0 inches
Contrast Ratio	2500:1	**Panel Brightness**	500.0 nits
Display Color	16.7M Colors	**View Angles**	88,88,88,88
Active Area	304.1x228.1 mm	**Touch / Glass**	Projected Capacitive Multi Touch Screen

Mechanical

Dimension	396 x 310 x 49 mm	**Weight**	5.7 kg
Mounting	VESA Mount	**Enclosure**	Stainless Housing
Cooling System	Fanless design		

Environment

Operating Humidity	10% to 90% RH, Non-Condensing	**Operating Temperature**	0°C to 45°C
Storage Temperature	-20°C to 60°C	**IP rating**	IP65

Certification

Certification	CE, FCC

IO Ports

Power Input	1 x M12 waterproof connector for 12V DC	**USB Port**	1x M12 waterproof connector for touch screen control
Serial Port	1 x M12 type connector for RS232 remote control (Optional)	**Video**	1x M12 type connector for VGA input
Indicator	1 x LED Indicator for power 1 x LED Indicator for status		

Control

Button	1 x Power Button 1 x Adjust up button 1 x Adjust down button 1 x ESC (Auto) button 1 x OK (Menu) button

Accessory

Accessory	External VGA cable with waterproof connector Waterproof caps VESA screws 100~240V AC to DC Adapter with waterproof	**Optional Accessory**	External COM cable with waterproof connector for remote control (Optional)

connector
Power Cord

Power	
Power Rating	12V DC (M12 type)

DIMENSIONS   UNIT:MM

1 VGA
2 USB/ RS232 for Touch
3 Power Input
4 OSD Control Panel

NOTE

1. This is a simplified drawing and some components are not marked in detail.
2. Please contact our sales representative if you need further product information.
3. All specifications are subject to change without prior notice.
4. The product shown in this datasheet is a standard model. For diagrams that contain customized or optional I/O, please contact the Winmate Sales Team for more information.

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660