



Industrial Solutions Partner!

SLD0625

6.5" TFT LCD, LED Backlight 1000nits,VGA(640x480)

SLD0625 is LCD display, built-in 1000 nits high brightness for sunlight readable application. Features wide operating temperature, high brightness, AOT optical bonding, touch screen capable, and customized mechanical design; fulfill the demand for extreme environments. The high level of brightness together with LED backlight technology, the monitor brings remarkable display quality. And guaranteeing product life cycle longevity, stability, and reliability. Perfectly suitable for kiosk, ATM, POS, military, transportation, and outdoor industrial application.

Key Features

- Sunlight Readable
- LED Backlight
- High Shock & Vibration Resistance
- Low Power Consumption
- Wide Temperature. Range
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Life Expectancy
- Operation Temperature: -30°C ~ 80 °C



Specifications

V2

Model No.	SLD0625	
Description	6.5" Open Frame ,TFT LCD, LED Backlight 1000nits,VGA(640x480)	
Backlight	LED Backlight	
Display Area (mm)	132.48 x 99.36 mm	
Brightness	1,000 cd/m ²	
Resolution	640 x480 (VGA)	
Contrast Ratio	600 : 1	
Pixel Pitch (mm)	0.207(H) x 0.207(V)	
Viewing Angle	160°(H), 140°(V)	
Display Colors	16.2M colors	
Response Time (Typical)	25ms (Typical)	
Power Consumption	5W	
Dimensions (mm)	172.2x101x33.5mm	
Weight (Net)	0.38Kg	
Control Board (Optional)	☐ AD5621GM ☐ AD5621GD ☐ AD5766GDVA ☐ AD2662GDVAR	
☐ AD5621GM	VGA	
☐ AD5621GD	VGA+DVI	
☐ AD5766GDVA	VGA+CVBS+S-Video+Audio (Optional DVI)	
☐ AD2662GDVAR	VGA+DVI (Optional CVBS / S-Video/ Component / Audio)	
OSD Control Button	☐ 5 Key ☐ 4 Key	
☐ 5 Key	Power Switch, Menu, Select (+,-), Auto	
☐ 4 Key	Power Switch, Menu, Select (+,-),	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...	
Optional	☐ AOT ☐ Touch Screen ☐ Waterproof	

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.




Industrial Solutions Partner!

Mechanical Drawing

Outline Dimensions

Unit:mm





Industrial Solutions Partner!

Ordering Information

Part Number	Description
SLD0625-ENB-A01	6.5" , 1000nits, VGA, AD5621GM, O/B, V01(1 in 1)

Optional Accessories

Part Number	Description
840612031100	ADAPTER.12V.3.33A.40W,PAA040F,P
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE.POWER.AC.1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER.AC.1830mm Australia type
810618301030	CABLE.POWER.AC.1830mm Japan type

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508

Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050

Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660