


Getac

Windows®. Life without Walls™.
Getac recommends Windows 7.

Getac A790
Ultra Rugged Notebook

The Ultimate Expandable Control Center for Your Customized Needs

Excellent warrior in all battle fields



A790

Ultra Rugged
Notebook

A790 Ultra Rugged Notebook



Backlit Keyboard



Fanless



X Bay



Expansion Unit



3.5G WWAN

- Multiple Bay Feature Maximizes Flexibility and Customized Applications
- 14.1" QuadraClear™ Sunlight Readable Display
- MIL-STD-810G Certified and IP65 Compliance
- Full Magnesium Alloy Case
- Sealed Ports and Connectors
- Shock-protected Removable HDD
- Vibration & Drop Resistant
- Versatile Wireless Access: WLAN, WWAN, and Bluetooth
- Fan-less Design



The Getac A790 is the latest ultra-rugged model of the Getac Rugged Notebook Family. This extremely rugged notebook not only meets MIL-STD-810G certified and IP65 compliance ratings to survive the harshest environments, but also satisfies critical EMI requirements.

A high performance 14.1" TFT sunlight readable LCD provides consistent and efficient operation along with a shock-protected HDD, and a wide range of ambient temperature features.

The A790 also possesses multiple bays for extensive versatility and expandability. Users have the luxury of employing the bays with additional removable HDDs for storage capacity expansion, auxiliary batteries for extended use, or other additional modules such as Bluetooth, GPS, and more.

Complementing this multifunctional rugged unit are the state-of-the-art authentication capabilities including a TPM chip, a fingerprint scanner, and a smart card reader, to safely protect confidential information.

Interface



Back Side

- DC in Jack x 1
- USB 2.0 x 2
- Docking Connector x 1
- LAN (RJ45) x 1
- Modem (RJ11) x 1
- External VGA x 1
- Parallel Port x 1
- Serial Port x 1
- IrDA x 1



Left Side

- Primary Battery Pack x 1
- X Bay x 1



Right Side

- IEEE 1394b x 1
- Audio Output x 1
- Speakers x 2
- Microphone x 1
- Media Bay x 1
- Shock-protected HDD x 1
- PCMCIA Slots (Type II x 2 or Type III x 1)

Windows®. Life without Walls™. Getac recommends Windows 7.

Industry Applications



Military

A790 - MIL-STD-810G certified and IP 65 compliance - is the best rugged solution supporting air force, army, and navy combat operations. It features multiple bays that enable extensive versatility and expandability required by the military market. A790 facilitates asset management to track numerous military equipments or components and relevant information is reported to commands by wireless transmission to ensure timely maintenance, repair, or replacement.



Manufacturing

The shock-protected removable HDD, fan-less design and sealed I/O ports are A790's unique features to ensure effectiveness and stability under extreme environments. Its expansion unit connects equipment and facilities in order to conveniently control and monitor their operation. The ultra shock mount and vehicle dock customized for A790 make this rugged unit highly available and effective under various mission critical environments.



Public Safety

Boarder patrollers and customs officers responsible for crackdown on illegal immigrants or smuggling are able to use the extremely rugged A790 that enables effective surveillance. Confidential information is protected by A790's advanced TPM chip, fingerprint scanner, smart card reader, and data analysis and databank establishment are facilitated by wireless transmission.

Optional Accessories



Vehicle Dock

W x D x H: 348 x 310 x 215mm
(13.70" x 12.20" x 8.46")

- DC in Jack x 1
- USB 2.0 x 2
- Serial Port x 2
- Parallel Port x 1
- Video Capture x 1
- Speaker x 2



Ultra Shock Mount

W x D x H: 420 x 390 x 153mm
(16.54" x 15.35" x 6.02")



Vehicle Mount

W x D x H: 310 x 302 x 111mm
(12.20" x 11.89" x 6.02")



Carry Bag



Battery Charger



Main Battery
(7800mAh)



Multimedia Bay
2nd Battery (5200mAh)



X Bay 3rd Battery
(5200mAh)



Vehicle Adapter
(90W, 11-16VDC
and 22-32VDC)



Stylus



ISA Expansion Unit
(x 2 slots)



PCI Expansion Unit
(x 2 slots)



PCI-Express
Expansion Unit
(x 2 slots)



External USB FDD



Port Replicator

Specifications

Operating System	Genuine Windows® 7 Professional Genuine Windows Vista® Business	I/O Interface	Serial port (9-pin; D-sub) x 1 Parallel port (25-pin; D-sub) x 1 External VGA (15-pin; D-sub) x 1 Microphone (Mini-jack) x 1 Audio output (Mini-jack) x 1 DC in Jack x 1 USB 2.0 (4-pin) x 2 Modem (RJ11) x 1 LAN (RJ45) x 1 IEEE 1394b x 1 Docking connector (80-pin) x 1 IrDA x 1
Mobile Computing Platform	Intel® Centrino® Technology - Intel® Core™ Duo Processor L2400 1.66 GHz or Intel® Core™2 Duo Processor L7400 1.5 GHz - 667 MHz FSB - 4MB L2 cache - Mobile Intel® 945GM Express chipset	Communication Interface	10/100/1000 base-T Ethernet 56K ITU V.92 modem Intel® WiFi Link 5100; 802.11 a/b/g/n Optional Bluetooth (v2.0+EDR class 2) Optional GPS Optional GSM / GPRS / EDGE / UMTS / HSDPA
VGA Controller	Intel® Graphics Media Accelerator 950 Max. 128MB shared memory	Software	Adobe® Reader®
Display	14.1" TFT LCD XGA (1024 x 768) Optional QuadraClear™ sunlight readable display with touchscreen	Security Feature	TPM 1.2 Optional fingerprint scanner Optional smart card reader Kensington lock
Storage & Memory	2GB DDR2 expandable to 4GB SATA HDD 160GB / 320GB Optional SATA SSD 80GB	Power	AC Adapter (90W, 100-240VAC, 50 / 60Hz) Battery - Primary: Li-Ion smart battery (7800mAh) ⁱⁱ - Optional Bay 1: Li-Ion smart battery (5200mAh) - Optional Bay 2: Li-Ion smart battery (5200mAh)
Keyboard	Rubber keyboard Optional LED backlit rubber keyboard	Dimension (W x D x H) & Weight	332.2 x 279 x 85.4 mm (13.08" x 10.99" x 3.37"), 5.9 kg (13 lbs) ⁱⁱⁱ
Pointing Device	Touchscreen - Optional pressure sensitive touchscreen Touchpad - Glide touchpad with scroll bar - Optional resistive touchpad	Rugged Feature	MIL-STD-810G certified and IP65 compliance Optional MIL-STD-461F certified Full magnesium alloy case Shock-protected removable HDD Vibration & drop resistant
Expansion Slot	PCMCIA Type II x 2 or Type III x 1	Environmental Specification	Temperature ^{iv} : - Operating: 0°C to 60°C / 32°F to 140°F - Optional low temperature: -20°C / -4°F - Storage: -40°C to 71°C / -40°F to 160°F Humidity: - 95% RH, non-condensing
Multimedia Bay	Optional DVD super multi drive Optional 2nd battery Optional 2nd storage: HDD 160 GB		
X Bayⁱ	Optional RS232/422 Optional Ultra320 SCSI Optional 2nd PCMCIA (Type II x 2 or Type III x 1) Optional smart card reader Optional Bluetooth (v2.0 + EDR class 1) Optional GPS (with mouse type antenna) Optional GSM / GPRS / EDGE / UMTS / HSDPA Optional Bluetooth + GPS Optional Bluetooth + GSM / GPRS / EDGE / UMTS / HSDPA Optional GPS + GSM / GPRS / EDGE / UMTS / HSDPA Optional Bluetooth + GPS + GSM / GPRS / EDGE / UMTS / HSDPA		

- i Each A790 can only install one X-Bay optional item.
- ii Battery life testing conducted under BatteryMark 4.0.1. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.
- iii Weight varies from configurations and optional accessories.
- iv Tested by a national independent third party test lab following MIL-STD-810G.



Getac EUROPE

Germany Office - Getac Technology GmbH
Kanzlerstrasse 4
40472 Düsseldorf, Germany
Tel: +49 211 984 8190

Italy Office

Via Belvedere,
57 20043 Arcore (MB), Italy
Tel: +39 039 617720

UK Office - Getac (UK) Ltd.

Mitac house, Nedge Hill, Telford,
Shropshire, TF3 3AH, U.K.
Tel: +44 1952 207 231

Getac NORTH AMERICA

USA Office - Getac Inc.
43 Tesla, Irvine, CA 92618, USA
Toll Free: +1 886 GO GETAC
(1 886 464 3822)

www.getac.com

Getac ASIA

China Office - Getac Mobile Ltd.
- **Kunshan Office:**
No.300 (Building, Processing Zone),
No.1 Avenue, Export Processing
Zone, Changjiang South Road,
Kunshan City, Jiangsu, China
Tel: +86 512 57366000 # 1408
Fax: +86 512 57382090

- **Shanghai Office:**
2/F, No.213, Jiangchang Third Road,
Zhabei District, Shanghai, China
Tel: +86 21 61431188 # 1032
Fax: +86 21 61401023

- **Beijing Office:**
Room 501, Haowei Building,
No.25 Beitai Pingzhuang Rd.,
Haidian District, Beijing, China
Tel: +86 10 62381104
+86 10 62381108 # 2040

Japan Office - MitAC Japan Corporation
Yasuda 8th Building 6F,
Kaigan 3-chome 3-8, Minato-ku,
Tokyo, 108-0022, Japan
Tel: +81 3 3769 8311 # 6411

Taiwan Office - Getac Technology Corporation
5F, Building A, No. 209,
Section 1, Nangang Rd.,
Nangang Dist., Taipei City,
11568, Taiwan, R.O.C.
Tel: +886 2 2785 7888

SALES CONTACT

North America
ruggedsales@getac.com

South America
sales-getac-SAmerica@getac.com

EMEA
sales-getac-EMEA@getac.com
- **Germany:**
sales-getac-DACH@getac.com
- **Italy:**
sales-getac-Italy@getac.com
- **UK:**
sales-getac-UK@getac.com

Asia Pacific
sales-getac-APAC@getac.com
- **China:**
sales-getac-China@getac.com
- **Japan:**
sales-getac-Japan@getac.com

MARKETING CONTACT

Global
Globalmarketing@getac.com

North America
NorthAmericamarketing@getac.com

South America
SouthAmericamarketing@getac.com

EMEA
EMEAmarketing@getac.com

Asia Pacific
APACmarketing@getac.com

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660