

EPC-C301

8th Gen. Intel® Core Processor SoC Multiple I/Os Fanless Embedded System



Features

- 8th Gen. Intel Core i7-8665UE/i5-8365UE Quad Core
- Dual Display HDMI + DP, up to 4K2K
- 4 x GbE, 8 x USB3.0/2.0, 4 x UART, 2 x isolated CANBus
- 4 Expansion: M.2 E-Key 2230, M-Key 2280, B-Key 3042, F/S mPCIe
- DC-in 12V, Wall Mount & DIN Rail
- Supports Windows 10 LTSC & Ubuntu 20.04 LTS, embedded software APIs, WISE-DeviceOn

Software APIs:



Utilities:



Windows 10 **WISE-DeviceOn iManager**

Specifications

Platform	Processor	i7-8665UE	i5-8365UE	
	Base Frequency	1.70 GHz	1.60 GHz	
	Max. Frequency	4.40 GHz	4.10 GHz	
	Core/Tread	4/8	4/8	
	LLC	8MB	6MB	
	CPU TDP	15W	15W	
Memory	Chipset	Intel® WHL-U SoC integrated		
	BIOS	AMI UEFI 256Mbit		
	Technology	DDR4-2400MT/s		
	Max. Capacity	32GB		
Graphics	Channel/Socket	Dual Channels / 2 Sockets		
	ECC Support	N/A		
	Controller	Integrated Intel® UHD Graphics 620		
Storage	SSD	Support M.2 2280 SATA SSD or NVMe SSD (Default bundled with 128GB SATA SSD)		
	Display I/O	HDMI1.4 up to 4096x2160@30/24Hz DP1.2 up to 4096x2306@60Hz (Note: not support Audio stream & Hot-plug & HDCP)		
Ethernet	Controller	LAN1: Intel i219, LAN2: Intel i210, LAN3: Intel i210, LAN 4: Intel i210		
Audio	Speed	10/100/1000 Mbps		
Internal expansion Slot	Audio Codec	Realtek ALC888, High Definition Audio, Line-out, Mic-in		
	Front Panel	M.2 3042 B-Key	1	
		M.2 2230 E-Key	1	
		M.2 2280 M-Key	1 (Default bundled with 128GB SATA SSD)	
		Full Size MiniPCIe	1	
	Side Panel	HDMI	1	
DP		1		
LAN		4 x GbE		
USB 3.0		4		
USB 2.0		4		
MIC-In		1		
LINE-Out		1		
COM		2 x Full RS-232/422/485		
DC Jack		1		
SIM card		1 (Nano SIM)		
Miscellaneous	Power Button	1		
	Antenna	4		
	COM	2 (1 x Full RS-232/422/485, 1 x RS-232)		
Power Requirement	CANBUS	2 x isolated CAN Bus		
	DIO	1 x 8bit GPIO		
	LED Indicators	2 (Power LED , HDD LED)		
Mechanical	Switch	-		
	Circular Cutouts	-		
	Power Voltage	Vin: DC 12V ± 10%; RTC Battery: Lithium 3V/210mAH		
Environment	Power input Type	DC-Jack (only ATX mode)		
	Consumption	Idle: 6.683W, Max.: 65.591W		
	Construction	Aluminum housing		
Regulation	Mounting	Din-Rail mounting/ Wall-mounting		
	Dimension	170 x 118 x 70 mm		
	Operating temperature	With extended temperature peripherals: -20 ~ 60 °C (-4 ~ 140 °F) with 0.7m/s air flow without VEGA- 330 / -20 ~ 50 °C with VEGA-330		
Safety	Storage Temperature	-40 ~ 85 °C (-40 ~ 185 °F)		
	Relative Humidity	95% @ 40 °C (non-condensing)		
Safety	EMC	CE/FCC Class B, CCC (*No RED certification)		
	Safety	CB, UL		


*Note: Support by request

ADVANTECH Server Boards


All product specifications are subject to change without notice.

Last updated: 15-Apr-2024


EPC-C301



Front Panel External I/O Mechanical Layout/ Drawing



Side Panel External I/O mechanical Layout/ Drawing



Ordering Information

Part Number	CPU	Max. Frequency	Core	Memory	Storage	OS	Adapter	AI Accelerator Card	Operating Temp
EPC-C301C7-S7A1	i7-8665UE	4.40 GHz	4	16GB (Dual Channel)	128G SATA SSD	N/A	No	No	-20 - 60 degree
EPC-C301C5-S6A1	i5-8365UE	4.10 GHz	4	8GB (Single Channel)	128G SATA SSD	N/A	No	No	-20 - 60 degree

Packing List

Part No.	Description	Quantity
	EPC-C301 system (DIN-Rail Bracket Assembled)	1
	Wall-Mount Bracket (2pcs per system)	1
	Screw Kit	1

Embedded OS/API

Embedded OS/API	Part No.	Description
Win10 LTSC (High End for Core i7)	20706WX9HS0135	Win10 IoT Ent. 2019 LTSC 64bit
Win10 LTSC (Value for Core i5/i3)	20706WX9VS0139	Win10 IoT Ent. 2019 LTSC 64bit
Ubuntu 20.04 LTS	20706U20DS0002	Ubuntu Desktop 20.04 LTS 64bit
Software API	N/A	SUSI 4.0/iManager 3.0
Software API	N/A	WISE-PaaS/DeviceOn

Optional Accessories


Part No.	Description
96PSA-A120W12W7-3	Adapter 100-240V 120W 12V, LOCKABLE DC JACK
1702002600-01	Power cable 3-pin 183 cm, USA type
1700018704	Power cable 3-pin 180 cm, UK type
1702002605	Power cable 3-pin 183 cm, Europe type
1700000237-01	Power cable 3-pin 183 cm, PSE type
1960092891N001	Heat Spreader for VEGA-330

EPC-C301

Reliable Embedded BIOS Solutions

Custom BIOS services with long-term support

Advantech's high-quality embedded BIOS solutions deliver rapid execution and feature expert BIOS team support. These solutions feature multi-functional designs that ensure security and enable power/boot management. Advantech further provides 10+ years of BIOS version management, internal management, and longevity support for both hardware and BIOS — enhancing application efficiency, diversifying functionality, and optimizing performance.



Embedded BIOS Solution Advantages

Sufficient Sources

- Strong partnership with BIOS vendors
- 50+ engineers with extensive industrial BIOS experience


Diverse BIOS Functions

- Multi-layer security
- 3 second fast boot
- Power management
- BIOS suite utility

Long-Term Maintenance Services

- Platform longevity support
- 10-year BIOS version control
- BIOS remote backup

Value-Added Customization Process



EPC-C301

Embedded Linux Support and Design-in Services

Hardware Certified Ubuntu and Yocto with Eco Partner Services

Linux is the most popular embedded OS for transportation, outdoor services, factory automation, and mission critical applications. Its open source and kernel reliability features ease security updates, and make it particularly adaptable to new AI and Edge computing technology. Advantech has cooperated with Canonical and other software partners to provide hardware certified Ubuntu image and Yocto BSP as Linux offerings. The Advantech, Embedded Linux, and Android Alliance (ELAA) delivers local software services and consultation.



Features

Certified OS and BSP	Licensed Services	Numerous AI and Edge Resources	Local Partner Alliance
<ul style="list-style-type: none"> Platform compatibility tests Preloaded functional driver and software stacks 	<ul style="list-style-type: none"> License authorized Canonical delivers 10-years of bug fixes and security updates In-house bundled service 	<ul style="list-style-type: none"> Containerized technology for service provision and deployment AI resources from Caffe, TensorFlow, and mxnet 	<ul style="list-style-type: none"> Embedded Linux and Android Alliance (ELAA)

EPC-C301

Edge AI Suite

AI development for diverse application at the Edge

Increasing demand for AI inference/analytic capabilities at the Edge make AI training models, software development environments, and hardware configuration key factors in successful solution deployment. Advantech's Edge AI Suite helps users build AI demo devices quickly and choose optimal hardware solutions easily.



5x Performance Boost	All-in-one Installation	One Click AI Experience	Plug-and-play Environment	Discover Cost-effective Hardware
<ul style="list-style-type: none"> Integrated Intel® OpenVINO™ technology Boost AI using Advantech hardware 	<ul style="list-style-type: none"> Build AI environment in under 5 minutes Ready-to-use configuration 	<ul style="list-style-type: none"> User friendly configuration guidance One-click Benchmark acquisition 	<ul style="list-style-type: none"> Easy access to 100+ AI inference extensions Software development package available 	<ul style="list-style-type: none"> Diverse CPU/RAM options Find hardware solutions for AI development

EPC-C301

WISE-DeviceOn

Massive IoT Device Management Utility

IoT deployment and management typically involves numerous disparate devices installed on multiple sites. These devices require effective monitoring, managing, and tracking. Advantech's easy-to-use WISE-DeviceOn interface enables users to remotely monitor device health, troubleshoot problems, and send software/firmware updates over-the-air (OTA). In sum, DeviceOn empowers quick real-time responsiveness to emerging problems.



Features

Comprehensive Management	Remote Access	Efficient Operations
<ul style="list-style-type: none"> • Devices status • Peripherals/firmware • Open for extension 	<ul style="list-style-type: none"> • Real-time monitoring • Remote controls • Troubleshooting 	<ul style="list-style-type: none"> • Zero-touch on-boarding • OTA updates • Batch control

Product Highlights

 SOM-6883 High-performance 11 th Gen Intel [®] COMe Type 6 Module	 MIO-5375 Compact 11 th Gen Intel [®] Outdoor Focused 3.5" SBC	 EPC-B5587 10 th Gen Intel [®] Xeon [®] based Edge server	 EPC-R3220 Arm based IoT Edge Gateway
---	--	--	---

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660