




VT-FORS GOLD TRACTOR ONLY

Bespoke kit built specifically for tractor units.

THIS KIT INCLUDES THE FOLLOWING:

- | | | | | | |
|--|--|---|--|---|--|
| 1. VT5500-G-1TB
5CH MDVR
Includes 1TB Hard-drive | | 2. VT-C20-MINI**
Forward-facing Camera | | 3. VT-LT ALERT
Left-turn Alert | |
| 4. VT-CAN-M8*
Side Scan Interface
(Vehicle 2012 or newer) | | 5. VT-WNREVERSINGALARM
White Noise
Reversing Alarm | | 6. VT-TIMER CUT OUT
Timer cut-out button | |
| 7. VT-M4-7-AHD (Kit)
4CH AHD Monitor
Includes 5M Cable, F2F Convertor, Brackets | | 8. VT408-AHD x2
HD Side-View Camera | | 9. VT408 Spacer 50mm x2
VT408 Spacer 25mm x2 | |
| 10. VT-SIDE SCAN
VT-Sensor Brain (No Sensors)
VT-Sensor Display + Mixture of x4 sensors | | 11. VT-CORNER SCAN
VT-Sensor Brain (No Sensors)
VT-Sensor Display + x4 flush sensors | | | |
| 12. VT646-AHD**
Rear-view
Camera | | 13. VT-SUZI COIL
Cable for Trailer
Camera | | 14. VT-C5M x3
VT-C15M x1 | |
| 15. VT-SUZI TRACTOR ONLY
Suzi Input | | 16. VT-C-MALE TO FEMALE
Camera input splitter
for camera | | 17. VT-IMAGE SPLITTER (AUTO)
Auto Image
Splitter | |



KEY FEATURES:

VT5500-G

- Supports 4 channels AHD (1080P) +1 channel IPC (1080P)
- Supports hard disk for main recording
- Alarm integration for central monitoring
- Supports GPS and 3G/4G
- Built-in three-axis inertial sensor
- Vibration-resistant design



VT-LT ALERT

- Dual voltage 12-24 volts
- Bracket Mounted (2 Bolt Fixing)
- M.I.R.A. tested for all on and off road applications
- CE and emc marked
- Epoxy sealed for greater durability against water and vibration
- Pressure washable – IP6



VT-TIMER CUT OUT

- Six minute timer cut-out
- Auto Reset
- 12-14V
- IP67 rated - sealed against mud, water and vibration
- 30(H) x 88(W) x 47(D) mm



VT408-AHD

- DC 12V~24V
- 120°
- 62(L) x 44(H) x 62(W) (mm)
- 20°C + 70°C
- 1280 x 720 pixels



VT-SIDE SCAN

- 4 sensors mixed sensors
- PCB built into sensors
- Splash-proof ECU
- Digital distance display w/buzzer
- DSM scanning technology
- Dual voltage

VT-CORNER SCAN

- 4 Flush sensors
- PCB built into sensors
- Splash-proof ECU
- Digital distance display w/buzzer
- DSM scanning technology
- Dual voltage

VT-C20-MINI

- 1/2.8" SONY 2.13-megapixel
- 1920 x 1080 resolution
- 0.05 Lux/F1.2 (Auto Gain on)
- 3.6mm
- DC 12V±10%
- 90(L) x 46(H) x 70(W)mm



VT-WNREVERSINGALARM

- Epoxy-sealed for greater durability
- Minimum 85 dB output
- M.I.R.A. tested for all on and off-road applications
- Pressure washable – IP67
- 2 Wire



VT-M4-7-AHD (Kit)

- 10.1-inch digital screen
- Resolution 1024 x 600p
- 4 video inputs and 4 trigger wires
- Power voltage of DC10V~36V
- 352(L) x 166(W) x 32(D) mm



VT408 Spacer 50mm

- 65(L) x 50(H) x 55(W) (mm)



VT408 Spacer 25mm

- 65(L) x 25(H) x 55(W) (mm)



VT646-AHD

- 1/3" colour lens
- 1280 x 720 resolution
- 120° wide-viewing angle)
- IR night vision
- 50(L) x 50(H) x 80(W)mm



VT-WARNING STICKER BLIND SPOT



*Additional charges may be involved.
**Not required for FORS but VisionTrack recommend.
For more information please go to www.visiontrack.com



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508

Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050

Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660