



Intel Celeron N3350 Barebone Embedded SBC Fanless Slim System



- Intel® Celeron® N3350 Dual Core SoC
- Semi-Industry Fanless slim systen, Din Rail or Wall mount design
- VGA display, COM port, 2 USB3.0, 1 LAN at Front
- 1 DIO port, 1 COM port at Side
- Advantech WISE-PaaS/DeviceOn support

Software APIs:

Features





















Windows	Ubuntu	DeviceUn	IManager	(N)	



		EPC-S201M00-S1A1E	
	CPU	Intel Celeron N3350 Dual Core SoC	
	Frequency	1.6 GHz	
Processor System	Max Turbo Frequency	2.4 GHz	
	L2 Cache	2MB	
	BIOS	AMI UEFI BIOS at 64Mbit	
	Technology	DDR3L 1866MHz	
Memory	Max. Capacity	Up to 8 GB (Barebone: No memory included as default)	
•	Socket	1 x 204-pin SODIMM	
	Controller	Intel® HD Graphics 500	
Display	Graphic Engine	4K Codec Decode& Encode for H.264, MPEG2, MVC, VC-1, WMV9, H.265 / HEVC, VP8, JPEG / MJI	
	VGA	1920 x 1200	
Ethernet	LAN	10/100/1000 Mbps, Intel i210	
Audio	Main system	Realtek ALC888S, High Definition Audio. Line-out, Line-in	
Expansion	Mini PICe	1 x Full-size Mini PCle	
Storage	mSATA	Half size MiniPCle slot	
Other	Watchdog Timer	255-level timer interval, setup by software	
	USB	2 USB3.0	
	RJ45	1	
Front I/O Oponingo	VGA	1	
Front I/O Openings	COM	1 (RS232/422/485)	
	Audio	Line-in, Line-out	
	Antenna	1	
Cida I/O Opopingo	COM	1 (RS232/422/485)	
Side I/O Openings	Digital I/O	1 (8-bit general purpose input/ output)	
Miscellaneous	LED Indicators	Power	
IVIISCEIIAIIEUUS	Control	Power switch	
	Power Type	AT	
Power Requirement	Power input Voltage	12V	
	Connector type	2-Pole Phoenix DC plug in	
Environment	Operating Temperature	0 ~ 50 °C w/ 0.7m/s airflow	
	Storage Temperature	-40 ~ 85 °C (-40~185 °F)	
	Relative Humidity	40 °C @ 95%, Non-Condensing	
	Vibration During Operation	With Desk/Wall Mount/ DIN Rail: 3 Grms, IEC 60068-2-64, random vibration, 5 ~ 500 Hz, 1 hr/axis	
	Shock During Operation	30G, IEC60068-2-27, half sine, 11m duration	
	Mounting	Desk/Wall-mounting, Din rail mounting	
Physical Characteristics	Dimensions (W x H x D)	System dimension: 139 x 100 x 44 mm	

CE/FCC Class B (*No RED certification), BSMI, VCCI, CCC (TBD)

Regulation


AD\ANTECH MI/O Extension SBCs, Modules and Chassis

EMC

Safety

^{*} Other RAM size is supported by request.





Ordering Information

Part Number	CPU	RAM	VGA	GbE	USB 3.0	RS-232/422/485	Audio	MiniPCle	mSATA	Power Input	Operating Temperature
EPC-S201M00-S1A1E	Intel Celeron N3350	up to 8GB DDR3L*	1	1	2	2	Line in Line out	1 Full size	1 (Half size miniPCle connector)	12V _{DC}	0 ~ 50 °C

^{*} RAM size is supported by request.

Embedded OS/API

OS/API	Part No.	Description
Win10	20706WX6ES0036	img W10 16EL EPC-S201 64b 1709 ENU
Software API	-	SUSI API for Windows or Linux
Liunx	-	Yocto BSP ready
Ubuntu 20.04 LTS	TBD	


Packing List

Part Number	Description	
	1 x EPC-S201 Unit	
	1 x China RoHS	


Optional

Part Number	Description
96PSA-A60W12P2-3	DC power 12V/5A 60W, 0 ~ 40 °C, w/ Phoneix Jack type power connector
1702002600-01	Power cable 3-pin 183 cm, USA type
1700018704	Power cable 3-pin 180 cm, UK type
1702002605	Power cable 3-pin 183 cm, Europe type
1700000237-01	Power cable 3-pin 183 cm, PSE type
1960083757N002	Wall Mount Bracket (2pcs for 1 unit)
1960015198T011	DIN Rail Bracket (1pcs for 1 unit)
1930001241	Screw for DIN Rail Bracket (3pcs for 1 unit)

Front View



Side View




Online Download www.advantech.com/products



Reliable Embedded BIOS Solutions

Custom BIOS services with long-term support

Advantech's high-quality embedded BIOS solutions deliver rapid execution and feature expert BIOS team support. These solutions feature multi-functional designs that ensure security and enable power/boot management. Advantech further provides 10+ years of BIOS version management, internal management, and longevity support for both hardware and BIOS — enhancing application efficiency, diversifying functionality, and optimizing performance.



Embedded BIOS Solution Advantages

Sufficient Sources

- Strong partnership with BIOS vendors
- 50+ engineers with extensive industrial BIOS experience

Diverse BIOS Functions

- Multi-layer security
- 3 second fast boot Power management
- BIOS suite utility

Long-Term Maintenance Services

- · Platform longevity support
- 10-year BIOS version control
- BIOS remote backup

Value-Added Customization Process



AD\ANTECH

MI/O Extension SBCs, Modules and Chassis



Embedded Linux Support and Design-in Services

Hardware Certified Ubuntu and Yocto with Eco Partner Services

Linux is the most popular embedded OS for transportation, outdoor services, factory automation, and mission critical applications. Its open source and kernel reliability features ease security updates, and make it particularly adaptable to new Al and Edge computing technology. Advantech has cooperated with Canonical and other software partners to provide hardware certified Ubuntu image and Yocto BSP as Linux offerings. The Advantech, Embedded Linux, and Android Alliance (ELAA) delivers local software services and consultation



Features

Certified OS and BSP

- · Platform compatibility tests
- · Preloaded functional driver and software stacks

Licensed Services

- · License authorized Canonical delivers 10-years of bug fixes and security updates
- · In-house bundled service

Numerous Al and **Edge Resources**

- · Containerized technology for service provision and deployment
- · Al resources from Caffe, TensorFlow, and mxnet

Local Partner Alliance

· Embedded Linux and Android Alliance (ELAA)

Online Download www.advantech.com/products



Edge Al Suite

Al development for diverse application at the Edge

Increasing demand for AI inference/analytic capabilities at the Edge make AI training models, software development environments, and hardware configuration key factors in successful solution deployment. Advantech's Edge AI Suite helps users build AI demo devices quickly and choose optimal hardware solutions easily.



5x Performance Boost

- Integrated Intel[®]
 OpenVINO™
 technology
- Boost Al using Advantech hardware

All-in-one Installation

- Build AI
 environment in
 under 5 minutes
- Ready-to-use configuration

One Click Al Experience

- User friendly configuration guidance
- One-click
 Benchmark
 acquisition

Plug-and-play Environment

- Easy access to 100+ Al inference extensions
- Software development package available

Discover Cost-effective Hardware

- Diverse CPU/RAM options
- Find hardware solutions for Al development

AD\ANTECH

MI/O Extension SBCs, Modules and Chassis



WISE-DeviceOn

Massive IoT Device Management Utility

IoT deployment and management typically involves numerous disparate devices installed on multiple sites. These devices require effective monitoring, managing, and tracking. Advantech's easy-to-use WISE-DeviceOn interface enables users to remotely monitor device health, troubleshoot problems, and send software/firmware updates over-the-air (OTA). In sum, DeviceOn empowers quick real-time responsiveness to emerging problems.



Features

Comprehensive Management

- · Devices status
- · Peripherals/firmware
- · Open for extension

Remote Access

- · Real-time monitoring
- · Remote controls
- Troubleshooting

Efficient Operations

- · Zero-touch on-boarding
- OTA updates
- · Batch control

Product Highlights



High-performance 11th Gen Intel[®] COMe Type 6 Module



Compact 11th Gen Intel® Outdoor Focused 3.5" SBC



EPC-B5587 10th Gen Intel[®] Xeon[®] based Edge server



Arm based IoT Edge Gateway

Online Download www.advantech.com/products



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660