



Intel Atom E3900 series Embedded SBC Fanless Slim System



Features

- Intel® Atom™ E3900 series
- Onboard 4GB LPDDR4-2400MT/s, 32GB eMMC
- Independent display by HDMI
- Semi-Industry Fanless slim systen, Din Rail or Wall mount design
- Support HDMI x 1 , GbE x 2 USB 3.0 x 2, COM x 2, DIO x 2
- Flexible expansion M.2 E key, F/S miniPCle
- 12V power input, default is 12V phoenix 2 pin connector
- Advantech WISE-PaaS/DeviceOn support

Software APIs:























Windows	Ubuntu	DeviceUn	IManager	(AL)	t	ŀ
Specifi	ications	5				

	Processor	Atom E3950	Atom E3930	
Platform	Max. Frequency	2.0 GHz	1.80 GHz	
	Base Frequency	1.60 GHz	1.30 GHz	
	Core/Tread	4/4	2/2	
	LLC	2 MB	2 MB	
	CPU TDP	12W	6W	
	Chipset	Intel Atom SoC processor integrated		
	BIOS	AMI EFI 64 Mbit		
	Technology	LPDDR4-2400MT/s		
Memory	Capacity	4GB (Up to 8GB by request)	4GB (Up to 8GB by request)	
	Channel/Socket	Dual Channel/ Onboard LPDDR4	, , ,	
	Controller	Intel® HD Graphics 500		
	Burst Frequency	650 MHz	550 MHz	
Graphics	Graphics Memory	2 GB	2 GB	
агартноз	3D/HW Acceleration	DX12, OGL4.4, OCL2.0 HW Encode: H.265/HEVC, H.264, MPEG2 HW Decode: H.264		
Display I/F	HDMI	HDMI 1.4b: up to 3840 x 2160 at 30Hz		
Ethanat	Controller	Intel® i210		
Ethernet	Speed	10/100/1000 Mbps		
	Ethernet	2 x RJ-45		
	HDMI	1		
Front I/O Openings	USB3.0	2		
	COM Port	1		
	LED	1		
0:4-1/0 0:	COM	1 (RS232/422/485)		
Side I/O Openings	Digital I/O	2 (8-bit general purpose input/ output)		
Missallanasus	LED Indicators	Power		
Miscellaneous	Control Power	Switch		
Storage	eMMC	32GB (up to 64GB, support by request)		
	M.2	1 x E-Key for M.2 2230 module (PCIe x1, USB2.0) *	Design for WiFi/BT module. Support NVMe SSD by request.	
Expansion	mPCle/mSATA	1 x Full-size miniPCle slot (Option to mSATA, support	ort by request)	
	Power type	Vin: 12V ± 10%		
Power	Power Input voltage	AT		
	Connector type	2 Pin Phoenix DC Plug in		
	Operating Temperature	-20 ~ 60 °C w/ 0.7m/s airflow		
	Storage Temperature	-40 ~ 85 °C (-40~185 °F)		
Environment	Relative Humidity	40 °C @ 95%, Non-Condensing		
	Vibration During Operation	3 Grms, IEC 60068-2-64, random vibration, 5 ~ 500 Hz, 1 hr/axis		
	Shock During Operation	30G, IEC60068-2-27, half sine, 11m duration		
	Mounting	Desk/Wall mounting, Din rail mounting		
Physical Characteristics	Dimensions (W x H x D)	139 x100 x 44mm		
	Weight	0.6kg		
Pagulation	EMC	CE/FCC Class B (*No RED certification), BSMI, CCC	3	
Regulation	Safety	CB, UL, BSMI, CCC		


*Note: Support by request

AD\ANTECH MI/O Extension SBCs, Modules and Chassis

All product specifications are subject to change without notice.

Last updated: 2-Aug-2024





Ordering Information


Part Number	CPU	Memory	Storage	HDMI	GbE	USB 3.0	RS-232/422/485	Power Input	Operating Temp
EPC-S202E-S8A1	Atom E3930 1.80 GHz	On-board 4GB LPDDR4	On-board 32G eMMC	1	2	2	2	12V	-20 ~ 60 °C
EPC-S202E-U0A1	Atom E3950 2.00 GHz	On-board 4GB LPDDR4	On-board 32G eMMC	1	2	2	2	12V	-20 ~ 60 °C

^{*}Default BIOS supports 64 bits OS installation, BIOS for 32 bits OS installation is supported by project.


Packing List

Part No.	Description	Quantity
	1 x EPC-S202 Unit	1
1960015198T011	DIN Rail Bracket	1
1960083757N002	Wall Mount Bracket	2

Front View



Side View



Optional Accessories

Part No.	Description
96PSA-A60W12P2-3	DC power 12V/5A 60W, 0 ~ 40 °C, w/ Phoneix Jack type
1702002600-01	Power cable 3-pin 183 cm, USA type
1700018704	Power cable 3-pin 180 cm, UK type
1702002605	Power cable 3-pin 183 cm, Europe type
1700000237-01	Power cable 3-nin 183 cm PSE type

Embedded OS/API

Embedded OS/API	Part No.	Description
WIN10	20706WX9ES0098	Win10 IoT Ent. 2019 LTSC
Software API	N/A	SUSI 4.0/iManager 3.0
Software API	N/A	WISE-PaaS/DeviceOn
Ubuntu v20.04	20706U20DS0001	Ubuntu Desktop 20.04 64bit


Online Download www.advantech.com/products



Reliable Embedded BIOS Solutions

Custom BIOS services with long-term support

Advantech's high-quality embedded BIOS solutions deliver rapid execution and feature expert BIOS team support. These solutions feature multi-functional designs that ensure security and enable power/boot management. Advantech further provides 10+ years of BIOS version management, internal management, and longevity support for both hardware and BIOS — enhancing application efficiency, diversifying functionality, and optimizing performance.



Embedded BIOS Solution Advantages

Sufficient Sources

- Strong partnership with BIOS vendors
- 50+ engineers with extensive industrial BIOS experience

Diverse BIOS Functions

- Multi-layer security
- 3 second fast boot
- Power management
- · BIOS suite utility

Long-Term Maintenance Services

- Platform longevity support
- 10-year BIOS version control
- BIOS remote backup

Value-Added Customization Process



AD\ANTECH

MI/O Extension SBCs, Modules and Chassis



Embedded Linux Support and Design-in Services

Hardware Certified Ubuntu and Yocto with Eco Partner Services

Linux is the most popular embedded OS for transportation, outdoor services, factory automation, and mission critical applications. Its open source and kernel reliability features ease security updates, and make it particularly adaptable to new AI and Edge computing technology. Advantech has cooperated with Canonical and other software partners to provide hardware certified Ubuntu image and Yocto BSP as Linux offerings. The Advantech, Embedded Linux, and Android Alliance (ELAA) delivers local software services and consultation.



Features

Certified OS and BSP

- · Platform compatibility tests
- Preloaded functional driver and software stacks

Licensed Services

- · License authorized Canonical delivers 10-years of bug fixes and security updates
- · In-house bundled service

Numerous Al and Edge Resources

- · Containerized technology for service provision and deployment
- · Al resources from Caffe, TensorFlow, and mxnet

Local Partner Alliance

 Embedded Linux and Android Alliance (ELAA)

Online Download www.advantech.com/products



Edge Al Suite

Al development for diverse application at the Edge

Increasing demand for AI inference/analytic capabilities at the Edge make AI training models, software development environments, and hardware configuration key factors in successful solution deployment. Advantech's Edge AI Suite helps users build AI demo devices quickly and choose optimal hardware solutions easily.



5x Performance Boost

- Integrated Intel[®]
 OpenVINO™
 technology
- Boost Al using Advantech hardware

All-in-one Installation

- Build AI
 environment in
 under 5 minutes
- Ready-to-use configuration

One Click Al Experience

- User friendly configuration guidance
- One-click
 Benchmark
 acquisition

Plug-and-play Environment

- Easy access to
 100+ Al inference
 extensions
- Software
 development
 package available

Discover Cost-effective Hardware

- Diverse CPU/RAM options
- Find hardware solutions for Al development

AD\ANTECH

MI/O Extension SBCs, Modules and Chassis



WISE-DeviceOn

Massive IoT Device Management Utility

IoT deployment and management typically involves numerous disparate devices installed on multiple sites. These devices require effective monitoring, managing, and tracking. Advantech's easy-to-use WISE-DeviceOn interface enables users to remotely monitor device health, troubleshoot problems, and send software/firmware updates over-the-air (OTA). In sum, DeviceOn empowers quick real-time responsiveness to emerging problems.



Features

Comprehensive Management

- · Devices status
- · Peripherals/firmware
- · Open for extension

Remote Access

- · Real-time monitoring
- · Remote controls
- Troubleshooting

Efficient Operations

- · Zero-touch on-boarding
- OTA updates
- · Batch control

Product Highlights



High-performance 11th Gen Intel[®] COMe Type 6 Module



MIO-5375 Compact 11th Gen Intel[®] Outdoor Focused 3.5" SBC



10th Gen Intel[®] Xeon[®] based Edge server



Arm based IoT Edge Gateway

Online Download www.advantech.com/products



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660