

M101H, 10.1-inch Rugged Tablet PC

A Rugged Tablet that Can Survive Any Environment and Get Real Work Done

M101H is a rugged tablet PC with robust set of features designed to withstand industrial use while providing high tech solutions that increase productivity, improve safety, and reduce operational costs. The processing power comes from Intel's Core i5-5250U Broadwell processor paired with genuine Intel graphics for high performance. The tablet features a brilliant, in-plane switching with direct optical bonding, projective capacitive touch screen, which is outdoor viewable and offers 1920 x 1200 pixel resolution. Weighing at just 2.7 pounds (approx. 1200 grams) the M101H delivers lightweight mobility in a rugged tablet.



Highlights

- Intel Core i5-5250U Broadwell Processor
- 10.1" 1920 x 1200 IPS LED Panel with direct optical bonding
- Optional 1D/2D Barcode Reader
- Hot-swappable battery design with optional High capacity battery pack
- IP65 waterproof and dustproof
- Rated for extreme temperature use

*Please consult your reseller or Winmate representative before purchasing.

*Accessories and Integrated Options may vary depending on your configuration. Visit Winmate website for more accessories and details.





M101H, 10.1-inch Rugged Tablet PC

A Rugged Tablet that Can Survive Any Environment and Get Real Work Done

Display Specification		
Size Resolution Panel Brightness	10.1-inch IPS display with LED Backlight 1920 x 1200 WUXGA 700 nit With direct optical bonding for sunlight readable	
Touch	Multi-touch projected capacitive	
Contrast Ratio Viewing Angle	800:1 89/89/89	
Technology	 Anti reflective and anti-glare technology (Optional) Ambient light sensor, e-compass, gyro, acceleration sensors Automatic screen rotation 	
	Intel HD Graphics (built-in CPU) video controller	
System Specificatio	n	
Processor	Intel Core i5-5250U Broadwell Processor 1.6 GHz up to 2.7 GHz with turbo boost technology	
System Memory Storage	4GB DDR3L SDRAM (up to 8GB) ¹ 64GB mSATA solid state drive SSD	
	Optional 256GB, up to 128GB additional storage with optional microSDXC card slot Windows 10 IoT Enterprise	
Operating System	Windows Follor Enterprise Windows Embedded 8.1 Industry Pro	
	Windows 7 Pro for Embedded System	
Wireless Communic	ation	
WLAN Bluetooth	802.11 a/b/g/n Bluetooth 4.0 Dual Mode (Classic + Low Energy) Class I	
GPS WWAN	u-Blox Neo-6Q Optional 4G LTE	
Interface		
Docking Connector HDMI Lan/ RS232 USB Power Input Micro SD	1 x 19-pin docking connector 1 x Optional micro HDMI 1 x 30-pin Combo conn (Giga-LAN or RS232) 1 x USB3.0 1 x Power Jack 1 x Micro SD Slot	
Audio Connector	1 x Audio Combo connector (Mic in or Line Out)	
Keyboard and Input		
Touch	• 10-point multi touch,	
Button	support Rain, Stylus, Glove Mode • On-screen QWERTY keyboard 1 x power, 1 x Home, 2 x volume key, 2 x function key (Programmable function key configured by Hottab Utility)	
LED Indicators	Power, Battery, HDD, RF	
Audio		
Microphone Speaker	1 x built-in Mic 2 x 1 watt speaker	
Cameras		
Web Camera Rear Camera	2MP webcam 5MP rear camera with autofocus and LED light	
Data Capture		
Barcode	Optional 1D/2D Barcode Reader	
Security Function		
Security	 Password security for user and hard disk lock Trusted Platform Module (TPM) V1.2² 	
Mobile Device Mgmt.	Computrace theft protection agent ³ SOTI Mobicontrol compatible ³	

Mechanical and Environment

Dimension (W x L x H) Weight Operating Temperature Storage Temperature Humidity IP Proof Shock Vibration Drop	$\begin{array}{l} 271.8 \times 197.2 \times 21 \mbox{ mm} (10.7 \times 7.76 \times 0.83 \mbox{ inches})^4 \\ 1.25 \mbox{ kg} (2.76 \mbox{ lbs}) \with standard battery, \\ 1.45 \mbox{ kg} (3.19 \mbox{ lbs}) \with optional high capacity battery \\ -20^{\circ} C to 60^{\circ} C (AC \mbox{ mode}), -10^{\circ} C to 50^{\circ} C (Battery \mbox{ mode}) \\ -30^{\circ} C to 70^{\circ} C (-22^{\circ} F to 158^{\circ} F) \\ 10\% \mbox{ to } 90\% \mbox{ RH}, \mbox{ non-condensing} \\ IP65 \mbox{ certified}, Dustproof and waterproof \\ MIL-STD-810G \mbox{ Method } 516.6 \mbox{ Procedure I} \\ MIL-STD-810G \mbox{ Method } 514.6 \mbox{ Procedure I} \\ MIL-STD-810G \mbox{ Method } 516.6, 4 \mbox{ tt to concrete } {}^{5} \end{array}$	
Power Management		
Power Input Batterv	12-19V DC 7.4V, 5140 mAh Li-Polymer Battery (2S1P)	

'ower Input	12-19V DC
lattery	7.4V, 5140 mAh Li-Polymer Battery (2S1P)
	7.4V,10280 mAh Li-Polymer Battery (2S2P, optional)
attery Operating Time	Std. Battery: 8 hours 6
	High Capacity Battery: 16 hours ⁶
dapter	100-240V, 50-60Hz, 19V DC

Accessories

B

Standard Accessories

Adapter and Power Cord Standard Battery Capacitive Stylus

Optional Accessories 7

Desk Dock98DTVehicle Dock (without VGA output)98DTVehicle Cradle98DTVehicle Charger9226High Capacity Battery98KCBattery Charger98KCHand Strap98KCCarry Bag98DCLAN Cable94J0RS232 Cable9431

98DT00A0000E 98DT00A00006 98DT00A00010 9226065W19V0 98K000A0003P 98K000A0003J 98K000A0003J 98K000A0003J 9400080300K1 94G3090300K0 9491191190K1


922D065W19V1

98K000A0003R

9B000000415

Drawing ⁸







Do Not Expose the Battery Pack to Excessive Heat, or Extreme Heat (Near Fire, in Direct Sunlight for example)

Caution hot or cold environments

1. Total usable memory will be less depending upon actual system configuration.

- 2. TPM 1.2 available upon request.
- 3. Computrace theft protection and SOTI are available upon request.
- 4. Length measurements do not include protrusions. Weight varies with options and digitizer pen.
- 5. The drop test with high-capacity battery must come with hand strap.
- Measured at dimming LCD brightness. Varies depending on the usage conditions, orwhen an external device is attached.
- Accessories and Integrated Options may vary depending on your configuration.
 This is a simplified drawing and some components are not marked in detail.

Winmate

Release Date: 14-Jan-2020 V1.8



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660