

# **NDiS S538**

Embedded Computer Powered by 6th Gen. Intel® Core™ Processor Intel® SDM-L Based Digital Signage Platform, Support 4K Resolution







## Main Features

- Intel® Smart Display Module Large (Intel® SDM-L) design in
- 6th generation Intel® Core™ Skylake processor
- Intel® integrated HD 530 graphic engine

- Support 3 independent 4K2K video out
- Dual DDR4 SO-DIMM support
- · Support Wi-Fi module

# **Product Overview**

NDiS S538 is designed for thinner and power efficiency display. There is no housing to limit display size and also easyly integrate in signage player. NDiS S538 can be spanned from Celeron to Core™ processor and support All-in-One signage, interactive media player, and video wall. Also, allowing for easy storage capacity expansion through pluggable M.2 storage unit.

In addition, NDiS S538 leverages the 6th gen. Intel® Core™ processors to deliver outstanding graphics support 3 independent 4K2K video output. The superb but power-efficient can therefore maximize visual impacts for digital signage applications.

# **Specifications**

#### **CPU Support**

• 6th generation Intel® Core™ processor (LGA1151), 35W

### Chipset

• Intel® Q170 PCH

#### Graphic

Intel<sup>®</sup> integrated HD 530 graphics

# Main Memory

• 2 x 260-pin SO-DIMM Sockets, Supports DDR4 2133/2400 MHz non-ECC, un-buffered memory up to 32G (Single socket max. 16GB)

#### I/O Interface-Front

- 1 x Power button with LED
- 1 x Reset button
- 1 x RJ45 with LEDs for Gigabit LAN
- 1 x Mini DP ++
- 4 x USB 3.0
- 2 x Antenna hole

#### I/O Interface-Rear (PCIe x8)

- 1 x HDMI1.4 signal
- 1 x DP1.2 signal
- 2 x I2C, master and slave ports signal
- 1 x GSPI signal
- 1 x PCIe by 1 signal
- System management

## Storage Device

• 1 x M.2 2280, PCle x4 + SATA

### Expansion

• 1 x M.2 2230 for optional Wi-Fi module

#### **Dimensions**

175mm (W) x 100mm (D) x 20mm (H)

#### **Power Power Supply**

• DC power input +12V

#### Environment

- Operating temperature: ambient with air flow from 0°C to 55°C
- Storage temperature: -10°C to 70°C
- Humidity: 95% (non-condensing)

#### Certification

CE/FCC Class A

#### **Operating System**


Win10 64-bit/Linux

Box Playe NE(COM









# **Ordering Information**

• NDiS S538 (P/N: 10W00S53800X0) Intel® Smart Display Module Large (Intel® SDM-L), 6th gen. Intel® Core™ LGA1151 type processor, Intel® Q170 chipset

NE(COM

Last update: 01/30/2019



# **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

# US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

# **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660