



Industrial Solutions Partner!

SSF/SSH2368-C

23.6" TFT LCD, 1600nits LED Backlight, 1280 x 1280, Circle Display

The SSF/SSH2368-C is a 23.6 inch color TFT-LCD display with brightness 1600 nits, special aspect ratio 1:1 and wide resolution 1280x1280. It is Litemax's Circlepixel series product which designed for high brightness with power efficiency LED backlight. It provides LCD panel with specific aspect ratios and sunlight readable for digital signage, public transportation, exhibition hall, department store, and vending machine.

Key Features

- 23.6" Circle Display
- High Resolution 1280 x 1280
- High Brightness 1600nits
- Aspect Ratio 1:1
- LED Backlight
- Low Power Consumption



Specifications

Model Name	SSF/SSH2368-C
Description	23.6" TFT LCD, 1600nits LED Backlight, 1280 x 1280, Circle Display
Screen Size	23.6"
Display Area (mm)	599.424(H) x 599.424(V)
Brightness	1600 cd/m ²
Resolution	1280 x 1280
Aspect Ratio	1 : 1
Contrast Ratio	1500 : 1
Pixel Pitch (mm)	0.468(H) x 0.468(V)
Pixel Per Inch (PPI)	76
Viewing Angle	178°(H),178°(V)
Color Saturation (NTSC)	81%
Display Colors	16.7M
Response Time (Typical)	14ms
Panel Interface	LVDS
Input Interface	HDMI, DP
Input Power	DC24V
Power Consumption	82.6W (with AD Board 85.6W)
OSD Key	4 Keys (Power Switch, Menu, +, -)
OSD Control	Brightness, Color, Contrast, Auto Turing, H/V Position...etc
Dimensions (mm)	657 x 657 x 28.65
Bezel Size(U/B/L/R)	28.79/28.79/28.79/28.79
Weight (Net)	4.8kg
Operating Temperature	0 °C ~ 50 °C
Storage Temperature	-20 °C ~ 60 °C

SSF= Panel + LED Driving Board

SSH= Panel + LED Driving Board + AD Control Board

Specifications are subject to change without notice.


All brands or product names are trademarks or registered trademarks of their respective companies.



Industrial Solutions Partner!


Outline Dimensions

Unit:mm





Industrial Solutions Partner!




Industrial Solutions Partner!

Note :

CN1:IS100-L300-C23(UJU)

CN2~CN5:CI0114M1HR0-NH(Cvilux)

Ordering Information

Part Number	Description
SSF2368-CNN-A11	23.6",1600nits,1280x1280,LID on LCM,3in1,V1
SSH2368-CNN-T11	23.6",1600nits,1280x1280,LID on LCM,AD68862HP,DC24V,3in1,V1

Optional Accessories

Part Number	Description
840613141200	ADAPTER,AC/DC,24V/7.5A,180W.FSP180-AAAN3,Power Din,P
810618301010	CABLE,POWER,AC,1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE,POWER,AC,1830mm UK type
810618301170	CABLE,POWER,AC,1830mm Australia type
810618301031	CABLE,POWER,AC,1830mm Japan type

Customer request

Touch	PCT (Multi-Touch)
Glass	Tempered glass, AR coating.....

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508

Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050

Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660