

M140TGT

14" Intel® Core™ i5-1135G7 Industrial Rugged Tablet Integrated Smart Card Reader



KEY FEATURES

- 11th Gen. Intel® Processor Family Tiger Lake Processor industrial rugged tablet
- 14-inch tablet, 1920 x 1080 wide viewing angle LED Panel
- Optical bonding and Antiglare technology for sunlight readability
- IP65 water and dust proof with MIL-STD-810H rugged housing
- Hot-swappable battery for wholedaywork
- Integrated Smart Card Reader



SPECIFICATIONS

Display				
Bonding	Optical Bonding for Sunlight Viewability	Resolution	1920x1080	
Size	14.0 inches	Contrast Ratio	800:1	
Panel Brightness	700.0 nits	View Angles	85,85,85,85	
Туре	Projected Capacitive Multi Touch			
System Specification				
Processor	Intel Core i5-1135G7 2.4GHz (up to 4.2GHz)	Memory	4GB DDR4 SDRAM 8GB DDR4 SDRAM (Optional) 16GB DDR4 SDRAM (Optional) 32GB DDR4 SDRAM (Optional)	
Storage	128GB SSD Additional storage available with micro SDXC card slot 256GB SSD (Optional) 512GB SSD (Optional) 1TB SSD (Optional) 2TB SSD (Optional)	Security	Trusted Platform Module (TPM) 2.0 Kensington Lock	
Operating System	Windows 10 IoT Enterprise LTSC (64 bit) Windows 11 IoT Enterprise SAC (64 bit) (Optional)	WLAN	Support	
ВТ	Support	WWAN	4G LTE (Optional) 5G (Optional)	
GNSS	GPS, GLONASS (Optional)	RFID	HF RFID reader 13.56 MHz (Optional)	
Sensors	Light sensor/ G-sensor / Gyro	Smart Card Reader	Built-in Smart Card Reader, Comply with ISO7816-1.2.3 T=1 and T=Ø protocol	
Camera				
Front Camera	2MP Front Camera	Rear Camera	8MP Rear Camera with auto-focus and LED light	
Mechanical				
Dimension	341.91 x 224.67 x 25.4 mm	Weight	1.75 kg	
Cooling System	Fan design			
IO Ports				
USB Port	2 x USB 3.0 (Type A), 1 x USB 3.0 (Type-C support Power Delivery 20V In)	SD Card Slot	1 x Micro SDXC slot	
SIM Card Slot	1 x Nano SIM card slot	Video	1 x Micro HDMI (Optional)	
Audio	1 x Audio combo 3.5mm audio combo jack Dual Digital Mic With Noise Cancellation	LAN	1 x RJ45-10/100/1000 GigaLAN port	

Winmate



Dual	Speaker	ſ

Indicator 4x LED Indicator for Power, Battery, HDD, RF Docking Connector 1 x 19-pin docking connector

Operating Humidity 10% to 90% RH, non-condensing Operating -20°C to 60°C Temperature

Storage -30°C to 70°C (-22°F to 158°F) Shock MIL-STD-810H Method 516.8 Procedure I Temperature

Vibration MIL-STD-810H Method 514.8 Procedure I IP rating IP65

MIL-STD-810H Method 516.8, 4 ft Drop

Certification

Environment

Certification CE, FCC

Security Function

SOTI MobiControl SOTI MobiControl Compliance **Kensington Lock** Kensington Lock Support

Control

Button 1 x Power,3 x function keys

Power

Battery Internal Battery: 10.8V typ. 2400 mAh Li-Ion 19V DC **Power Rating**

Battery

Hot-swappable 11.4V, typ. 3500 mAh Li-lon Rechargeable Battery (3S1P)

Adapter 100-240V, 50-60Hz / 19V DC

Accessory


Optional Accessory Kickstand (Optional) Accessory Adapter and Power Cord

Standard Battery Capacitive Stylus

Vehicle Charger (Optional) Battery Charger (Optional) Shoulder Strap (Optional) Carry Bag (Optional)

DIMENSIONS UNIT:MM

14" Windows Rugged Table



Page 2/4

V.202401121006.202403051154



NOTE

- 1. This is a simplified drawing and some components are not marked in detail.
- 2. Please contact our sales representative if you need further product information.
- 3. All specifications are subject to change without prior notice.
- 4. The product shown in this datasheet is a standard model. For diagrams that contain customized or optional I/O, please contact the Winmate Sales Team for more information.

Page 3/4



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660