

FM07A, 7-inch Vehicle Mounted Computer

A Rugged Vehicle Mounted Computer for Data Collection in Warehouse and Logistics Applications

The FM07A, Winmate's rugged 7-inch vehicle mounted computer, brings a compact design to a leading class of vehicle-mount computers without making any compromises. The compact size of the device allows for the vehicle operator to maintain unobstructed line-of-sight during operations, increasing efficiencies and minimizing errors. The VMC contains an Android-based Freescale i.MX 6 Dual Core 1 GHz processor and a 1024 x 600 resolution P-Cap multi-touch screen to allow you to manage your data easily in a user-friendly package. The FM07A is suited for a variety of industrial applications, from warehouse management, transportation logistics, to airport ground handling operations.



Highlights

- Freescale i.MX 6 Dual Core 1 GHz Processor
- 7" 1024 x 600 panel with projected capacitive multi-touch screen
- Wide power input 9-24V DC with ignition
- M12 waterproof connectors
- IP65 waterproof and dustproof
- Wi-Fi, BT, WLAN and GPS for wireless connectivity
- Wide operating temperature range -20°C ~ 60° C
- Shock and vibration resistance according to MIL-STD-810G







FM07A, 7-inch Vehicle Mounted Computer

A Rugged Vehicle Mounted Computer for Data Collection in Warehouse and Logistics Applications

Display Specificati	on	Mechanical and Envir	onment
Size	7-inch display	Dimension (W x L x H)	189.93 x 145.93 x 39.8 mm (7.47 x 5.75 x 1.56 inches)
Resolution	1024 x 600	Weight	1.0 kg (2.20 lbs)
Brightness	1000 nit	Housing	Back cover aluminum housing
Fouch	Projected capacitive multi-touch	Mounting	RAM Mount, VESA Mount (75x75mm)
Contrast Ratio	700:1	Cooling System	Fanless design
Viewing Angle	-75~75(H);-75~70(V)	Operating Temperature	-20°C to 60°C (-4° to 140° F)
5 5 5		Humidity	10% to 95% RH, non-condensing
System Specification		IP Proof	IP65, dustproof and waterproof
Processor	Freescale i.MX 6 Dual Core 1 GHz Processor	Shock	MIL-STD-810G Method 516.6 Procedure I,
System Memory	1GB LPDDR3 ¹		30 g for 18 ms, 300 m/s2
Storage	16GB eMMc	Vibration	MIL-STD-810G Method 514.6 Procedure I,
Operating System	Android 6.0	, israelon	1.60/ 1.96/ 2.18 g rms for XYZ/ 5-500 Hz
		Certifications	CE, FCC, E-Mark
Wireless Commun	ication	Device Mono noment	
WLAN	802.11 a/b/g/n/ac	Power Management	
Bluetooth GPS	Bluetooth 4.0	Power Input	9V-24V, with ignition control
GPS WWAN	u-Blox Neo-6Q Optional 4G/ LTE or 3G.	Accessories	
		Standard Accessories ³	
Interface		User Guide	9152111I109C
Computer	1 x RS232	Driver CD	9171111103X
	1 x Gigabit Ethernet LAN 10/100/100 Mbps (M12 type)	M12 Power Cable	94J004L040K1
	1 x Power input 9-24V DC with ignition	M12 LAN Cable	94I0120080K0
	1 x SIM Card Slot	USB Cable	9483098080K0
		RS232 Cable	94G3094090K2
	2 x USB	CANBUS Cable	94E215L140K0
	5 x DI; 3 x DO	WIFI Antenna	397SM000002
	2 x CANBUS	Optional Accessorie	S
	Wi-Fi Antenna	Audio Cable	94E215R060K0
	Bluetooth Antenna	Mounting Kit 1 – No Drill	Solution 98K000A0005Y
	Optional WWAN Antenna	Mounting Kit 2 – Drill Solu	ution 98K000A0006P
	Optional GPS Antenna	Mounting Kit 3 - Keyboard	d Mounting 98K000A000AO
Keyboard and Inp		WWAN Antenna	397SM000000C
Reyboard and mp	ut	GPS Antenna	397SM000000G
Touch	Projected capacitive	Drawing ⁴	
Button	On-screen QWERTY keyboard	<u>6 0</u>	8 9
	Front : 5 x function key		UNIT:r
	(Programmable function key configured by Hottab Utility)		<u>••@</u>]
	Top : 1 x Power button		
LED Indicators	Power		9.93 39.8
Audio			
Speaker	1 Watt speaker, located on the back cover		
		1 1	

3. Accessories may vary depending on your configuration. 4. This is a simplified drawing and some components are not marked in detail.

1.9-24V DC with Ignition

1. Total usable memory will be less depending upon actual system configuration. 2. Length measurements do not include protrusions. Weight varies with options.

1. 9-24V DC with lg 2. LAN 3. CANBUS / DIDO 4. COM 5. SIM Card Slot 6. Wi-Fi Antenna

cold environments

′!

Caution



Release Date: 29-Oct-2019 V1.1

7. WWAN Antenna (Optional)

8. GPS Antenna (Optional) 9. Power Button 10.2 x USB 11. LED 12. Speaker 13. Reset Button Do not expose bare skin to this product when handling this unit in extreme hot or



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660