

# **VTC 1911-IPK**

Intel Atom® E3815 Telematics IoT Gateway

IP67 Water and Dust Resistant



#### Main Features

- IP67 precision design to resist water and dust
- Built-in CAN 2.0B. Optional OBDII function (SAE J1939/J1708)
- U-blox NEO-M8N on board
- Dual SIM cards for WWAN modules
- Additional waterproof HDMI connector (by request)
- Smart power management with ignition on/off delay via software control and low voltage protection
- Wide range DC input from 9V~36V
- Wide operating temperature -40°C~70°C
- Certified by CE/FCC/E13 mark/EN50155

#### **Product Overview**

VTC 1911-IPK, a waterproof entry-level vehicle computer with Intel Atom® processor E3815 (1.46GHz), is designed for the wet, dirty and harsh environment. The precision design to resist water and dust to IP67. It allows to comply with stringent MIL-STD-810G military standard in rugged, fanless and compact mechanism. Because of the lightweight design, it is especially for the vehicles with limited space to locate the computer system, but without compromising with its space to scarify its features.

VTC 1911-IPK has on board CAN 2.0B and optional OBD interface (SAE J1939/J1708) for vehicle diagnostics and driver behavior management. An advanced GPS receiver supports GPS/Glonass/QZSS/Galileo/Beidou. VTC 1911-IPK features WLAN and WWAN wireless data and voice connectivity. With external 2 x SIM socket which can support a better connectivity quality by software. VTC 1911-IPK keeps the flexibility to meet different demands for telematics applications, such as IoT gateway infotainment, fleet management and dispatching system.

# **Specifications**

## CPU

Intel Atom® processor Bay Trail E3815, 1.46GHz

#### Memory

 1 x 204-Pin DDR3L SO-DIMM socket support 1066MHz/1333MHz up to 8GB. Default 2GB

#### Storage

- 1 x mSATA
- 1 x SATA DOM or 1 x 2.5" SSD

# Expansion

- 1 x Full size mini-PCIe socket (USB 2.0)
- 1 x Full size mini-PCIe socket (mSATA + USB 2.0 + PCIe)

#### Function

- 1 x U-blox NEO-M8N on board (support GPS/Glonass/QZSS/Galileo/ BeiDou)
- Built-in G-sensor
- TPM 2.0

# I/O Interface-Front

- 4 x LED for power, WWAN, Wi-Fi, storage
- 2 x SIM socket (micro type) with cover

- \*  $1 \times M12$  (A-code) connector for 10/100/1000 Mbps Ethernet
- 1 x (Male) 15-pin waterproof D-SUB connector
  - 1 x RS485 (TX+/TX-)
  - 1 x USB 2.0
  - 1 x Mic-in (L/R)
- 1 x Line-out (L/R)
- 1 x Optional VIOB-CAN-05/06 or 2 x video input
- 1 x (Female) 15-pin waterproof D-SUB connector
  - 2 x RS-232 (TX/RX)
  - 1 x CAN 2.0B (w/isolation)
  - 3 x DI, 3 x DO
- 2 x Antenna hole for WWAN/WLAN

# I/O Interface-Rear

- 1 x M12 5-pin circular power connector (ignition, power, GND)
- +  $1 \times M12$  (A-code) connector for 10/100/1000 Mbps Ethernet
- 1 x 15-Pin waterproof D-SUB connector for VGA output
- 1 x Waterproof HDMI connector (by request)
- 3 x Antenna hole for WWAN/WLAN/GPS


Vehicle Telematics Computer

NE(COM



www.nexcom.com





#### Operating System

- Windows 7, WES7
- Windows 8, WES8
- Windows 10
- Linux (by request)

# Dimensions

- 185 x 167 x 56.5 (W x D x H) (mm) (7.28" x 6.57" x 2.22")
- Weight: 1.1kg (2.42bs)

## Environment

- Temperature
  - Operating temperatures: -40°C~70°C
  - Storage temperatures: -45°C~85°C
  - Damp heat test per EN60068-2-30
- Humidity
  - IEC60068-2-3, damp heat steady state test, 40°C, 95%, 48Hrs
- Vibration
  - IEC 60068-2-64, 2G
  - Operating: MIL-STD-810G, 514.6C Procedure 1, Category 4
- Storage: MIL-STD-810G, 514.6E Procedure 1, Category 24
- Shock
- MIL-STD-810G, 516.6 Procedure I, trucks and semi-trailers=40g
- Crash hazard: Procedure V, ground equipment=75g

#### Certifications

- CE
- FCC Class A
- E13
- EN50155

# Ordering Information

VTC 1911-IPK (P/N: 10V00191100X0)
Intel Atom® processor Bay Trail E3815, 1.46GHz with 2GB DDR3L SODIMM, U-blox M8N GPS on board, VGA output, 2 x LAN, 2 x RS-232 (Tx/Rx), 1 x RS-485 (Tx/Rx), 1 x CAN 2.0B, 3 x DI, 3 x DO, 1 x USB 2.0, 1 x Line-out/Mic-in

NECOM

Vehicle Telematics Computer

Last update: 05/25/2020



# **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

# US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

# **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660