

Machine Vision



# PCIe-USB380/USB340

8-Port/ 4-Port USB3.0 Host Adapter Card with 4x Independent USB3.0 Controllers



### Key Features

- x4 PCI Express® Gen2 interface (2GB/s total bandwidth)
- 8-port/ 4-port by 4x NEC/ Renesas μPD720202 host controller
- On-board 5V DC regulated power supply, no external power needed
- User-configurable 900mA and 1500mA current limit
- Software-programmable per-port power on/ off control
- Supports cable-lock mechanism for reliable cable connection
- Supports Windows XP/ 7/ 8 and Linux
- Compliant with
  - Universal Serial Bus 3.0 specification Rev. 1.0
  - Intel® xHCI specification Rev. 1.0

[Contact Neosys](#)
[Get Quote](#)

## Introduction

Neosys PCIe-USB380/ 340 is an 8-port/ 4-port USB3.0 host adapter specifically designed for industrial and vision applications. USB3.0 or SuperSpeed USB, delivers up to ten times the data rate over USB2.0 and is particularly useful for high-speed data storage and imaging devices. Most off-the-shelf USB3.0 cards implement multiple ports with a single USB3.0 controller which results in significant performance degradation during multi-port operation. To achieve maximum per-port performance, PCIe-USB380 has four independent NEC/ Renesas μPD720202 USB3.0 Host Controllers and x4 PCI Express® Gen2 interface to offer up to 5 Gbps bandwidth for each port, independently. In addition to transfer data bandwidth advantage, PCIe-USB380/ 340 features on-board regulated 5V DC power supply with a unique configurable 900mA/ 1500mA current limit to supply stable 5V DC power to external USB devices. It also supports software-programmable per-port power on/ off control for fault recovery operations. Combining high bandwidth, industrial-grade power design and reliable cable connection, PCIe-USB380/ 340 brings convenience to interface USB3.0 devices operating under Windows XP, 7, 8 and Linux.

## Specifications

|                            | PCIe-USB380   | PCIe-PoE340   |
|----------------------------|---|---|
| USB Ports                  | 8x USB3.0 ports, compatible with USB2.0/ 1.1/ 1.0   | 4x USB3.0 ports, compatible with USB2.0/ 1.1/ 1.0   |
| USB Connectors             | 4x panel-accessible USB3.0 Type-A connectors with M2 screw threads<br>4x on-board USB3.0 Type-A connectors with fix points for cable tie                                  | 4x panel-accessible USB3.0 Type-A connectors with M2 screw threads                              |
| Bus Interface              | 4-lanes, Gen2 PCI Express interface, compliant with PCI Express Base specification revision 2.0   |   |
| USB Controller             | 4x NEC/ Renesas μPD720202 host controllers<br>Compliant with Universal Serial Bus 3.0 specification revision 1.0<br>Compliant with Intel® xHCI specification revision 1.0 |   |
| USB Per-Port Current Limit | User-configurable 900mA/1500mA per-port current limit   |   |
| Power Requirement          | Maximum 2.0A @ 3.3V from PCI Express bus<br>Maximum 5.5A @ 12V from PCI Express bus for devices   | Maximum 2.0A @ 3.3V from PCI Express bus<br>Maximum 2.8A @ 12V from PCI Express bus for devices |
| Operating Temperature      | 0°C ~ 60°C  |   |
| Dimension                  | 168 mm (W) x 111 mm (H)   |   |

## Ordering Information

| Model No.   | Product Description   |
|-------------|---|
| PCIe-USB380 | 8-Port USB3.0 host adapter with 4x independent USB3.0 controllers |
| PCIe-USB340 | 4-Port USB3.0 host adapter with 4x independent USB3.0 controllers |

## Optional Accessories

|                     |  |
|---------------------|--|
| Cbl-U3TA-U3MB-300CM | USB3 Type-A to Micro-B cable with latched connectors, 300cm length |
|---------------------|--|

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660