

**Giada**

## Giada D360

High-Performance for High-End  
Digital Signage Usage



### Features



- 6<sup>th</sup> Generation Intel® Skylake-S Series Processor
- Up to three Independent Displays with 4K Resolution
- Max. 32GB DDR4, Dual Channel
- Great Connectivity and Expandability

### Specifications


RoHS CE FCC

		D360H-B0000
Processor	CPU	6 <sup>th</sup> Generation Intel® Skylake-S Series Processor
	Chipset	Intel® H110 Express
	BIOS	AMI EFI 64 Mbit
Memory	Type	DDR4 2133MHz
	Socket	2 x U-DIMMs (284 pin)
	Max Size	32 GB
Graphics	GPU	Integrated Intel® HD Graphics
	Graphic Engine	DirectX12, OpenGL4.4 and OpenCL 1.2
	DP1.2	2 x DP (Max. 4096 x 2304 @60Hz)
	HDMI1.4b	1 x HDMI (Max. 4096 x 2304 @24Hz)
Network	Controller	1 x Gigabit Ethernet, Realtek RTL8111F
	Interface	1 x RJ45
I/O	USB	4 x USB 3.0, 2 x USB 2.0
	Display Interface	2 x DP1.2, 1 x HDMI1.4b
	LAN	1 x RJ45
	Audio	1 x MIC-IN, 1 x LINE-IN, 1 x AUDIO OUT
	Mini-PCle (Internal)	1 x Half-length Mini-PCle with Wi-Fi/BT Module support
	Serial Port	2 x COM (5V/12V)
	PS/2	2 x PS/2
	LED Indicators	1 x Power, 1 x HDD Access
Storage	2.5" Drive Bay	1 x 2.5" SATA drive bay (Max Height 7.5mm)
	mSATA	1 x mSATA III
	M.2	1 x M.2 (PCIe)
JAHC (JEHE Patented Tech)	WatchDog Timer	Yes, 0~255 Second Time Out Support
	Auto Power On	Yes, Power Activated Automatically Start
	RTC	Yes, Set Up Independently Every day, A Week as a Cycle
	Power Remote Control	Yes, By IR Controller
	Wake On Lan	Yes
Operation System	Windows	Windows 7, 8.1, 10
	Linux	Supported
	Android	N/A
Power	Power Type	DC-IN
	Power Adapter	19V / 4.74A


D360H-B0000		
Mechanical	Dimensions (W x D x H)	236mm x 175mm x 50mm
	Fanless	No
	Construction	Metal
	Mounting	Desk/Wall Mounting and VESA Mounting Kit (Optional)
	Weight	1.6 kg (3.53 lb)
Environment	Operating Temperature	0°C ~ 40°C at 0.7m/s air flow
	Storage Temperature	-20°C ~ 60°C
	Relative Humidity	95%@40°C (non-condensing)
Certification	EMC	CE/FCC Class B, CCC
	Safety	CE/FCC LVD, CCC



Rear Panel External I/O



Front Panel External I/O



### Order Information

Part Number	Intel CPU	RAM	DP	HDMI	GbE	USB	COM	Mini-PCle	mSATA	Operating Temperature
D360H-B0000	6 <sup>th</sup> Gen Skylake-S Series	up to 32GB	2	1	1	4 x USB3.0 2 x USB2.0	2	1	1	0°C ~ 40°C

### Packing List

Part Number	Description	Part Number	Description
-	1 x D360	-	1 x Driver Disk
-	1 x User Manual	-	1 x Power Adapter
-	1 x AC power cable	-	1 x Wi-Fi antenna

The product appearance, specifications and features are subject to change. Giada reserves the right of final interpretation for the content hereinabove.

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508

Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050

Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660