

Getac

Windows®. Life without Walls™.
Getac recommends Windows 7.

Getac V100
Fully Rugged Convertible Notebook

Superior Convertible Notebook with Cutting Edge Technology

The Best Outdoor Mission Propeller



V100

Fully Rugged

Convertible Notebook

V100 Fully Rugged Convertible Notebook



Glove Multi-touch



QuadraClear™ Technology



Dual Touch



GPS



Backlit Keyboard



3.5G WWAN

- Notebook-to-tablet Convertible Mode
- Getac QuadraClear™ Sunlight Readable Technology:
1200 Nits with Touchscreen
- Water Resistant Reversible Webcam
- Full Magnesium Alloy Case with Hand Strap
- Shock-protected Removable HDD
- Integrated GPS and Wireless Access
- MIL-STD-810G Certified and IP65 Certified
- Optional Glove-friendly Multi-touch LCD
- Optional EU Explosive Atmosphere ATEX Certified^Y



The Getac V100 Fully Rugged Notebook transforms with one quick rotation to a Rugged Tablet PC. Designed with the real-world in mind, the V100 is equipped with multi-touch solution for professionals without taking off the gloves under critical environments. Getac V100 is both MIL-STD-810G certified and IP65 certified, composing a magnesium alloy case, a shock-protected HDD, vibration and drop resistance, and sealed I/O caps and doors to prevent damage from solid particles and moisture.

With an Ultra Low Voltage Intel® Core™ i7 vPro™ Processor, the V100 boasts a quiet fan-less design and the power you need for various sophisticated applications.

The V100 features a 10.4" LCD display. A full-sized 83-key keyboard is included with an option to upgrade to a backlit rubber keyboard. The V100 is great for field applications by it's integrated 2M pixels webcam and GPS receiver.

The V100 provides comprehensive connectivity options including Bluetooth, WLAN and WWAN, and the advanced TPM security to safeguard important data.

Interface



Back Side

- Audio Output x 1
- Microphone x 1
- (Default) External VGA x 1
- Serial Port x 1



Left Side

- DC in Jack x 1
- USB 2.0 x 1
- USB 2.0 / eSATA Combo x 1
- Modem (RJ11) x 1
- LAN (RJ45) x 1
- (Default) PCMCIA x 1, Smart Card Reader x 1, SD Card Reader x 1
- (Option) PCMCIA x 1, ExpressCard / 54 x 1, SD Card Reader x 1



Right Side

- Battery x 1
- HDD x 1

Industry Applications



Field Service

Field maintenance workers often need to wear gloves for the sake of safety while operating computers to immediately report their work status. V100 is the world's first ever industrial laptop with a resistive type multi-touch screen as the most efficient solution that makes operating computers with gloves a non-issue for field maintenance workers. The industry-leading QuadraClear™ sunlight readable display of V100 also effectively facilitates outdoor operations.



Utilities

Featuring Intel® Core™ i7 vPro™ Processor with Turbo boost technology making fully rugged notebook V100 best suit for maintenance workers and pipeline inspectors to have incredible performance under very critical moments and environments. V100 is also equipped with integrated 2M pixels webcam, GPS receiver and 3.5G WWAN enable users to accurately and efficiently report their work status for various sophisticated applications.



Transportation/Distribution

The notebook-to-tablet V100 features great portability. Equipped with vehicle dock, V100 is highly applicable to different circumstances, especially ideal for the logistics industry as it withstands the sharp vibration and extreme temperature. V100 is MIL-STD-810G certified and IP 65 certified to work effectively and smoothly throughout any transport assignments.

Optional Accessories



Vehicle Dock

W x D x H: 299 x 275 x 39mm
(11.77" x 10.83" x 1.54")

- DC in Jack x 1
- USB 2.0 x 4
- Serial port x 2
- Audio output x 1
- Microphone x 1
- Video capture x 1
- LAN(RJ45) x1



Office Dock

W x D x H: 310 x 120 x 45mm
(12.2" x 4.72" x 1.77")

- DC in Jack x 1
- USB 2.0 x 4
- Serial port x 1
- Parallel x 1
- External VGA x 1
- Audio output x 1
- Microphone x 1
- LAN(RJ45) x1



Carry Bag



Battery Charger



Main Battery
(7800 mAh)



AC Adapter
(60W, 100-240 VAC)



Vehicle Adapter
(90W, 11-16 VDC and 22-32 VDC)



MIL-STD-461F Certified AC Adapter
(90W, 100-240VAC)



Stylus



Digitizer Stylus



Protection Film



X Strap

Specifications

Operating System	Genuine Windows® 7 Professional Genuine Windows Vista® Business
Mobile Computing Platform	Intel® Core™ i7 vPro™ Technology - Intel® Core™ i7-640UM vPro™ Processor 1.2GHz, Max. 2.26GHz with Intel® Turbo Boost Technology - 4MB L3 Intel® Smart Cache - Mobile Intel® QM57 Express chipset
VGA Controller	Intel® Graphics Media Accelerator HD ⁱ
Display	10.4" TFT LCD XGA (1024 x 768) 1200 nits QuadraClear™ sunlight readable display with multi-touch screen
Storage & Memory	2GB DDR3 expandable to 8GB SATA HDD 320GB Optional SATA SSD 80GB / 160GB
Keyboard	Membrane keyboard Optional LED backlit membrane keyboard Optional LED backlit rubber keyboard
Pointing Device	Touchscreen - Pressure sensitive multi-touch screen - Optional dual mode touchscreen (multi-touch and digitizer) Touchpad - Glide touchpad with scroll bar - Optional resistive touchpad
Expansion Slot	PCMCIA Type II x 1 ExpressCard/54 x 1 Optional smart card reader (occupies one PCMCIA Type II slot) x 1 SD card reader x 1
I/O Interface	2M pixels webcam x 1 Serial port (9-pin; D-sub) x 1 External VGA (15-pin; D-sub) x 1 Microphone (Mini-jack) x 1 Audio output (Mini-jack) x 1 DC in Jack x 1 USB 2.0 (4-pin) x 1 USB 2.0 / eSATA Combo x 1 Modem (RJ11) x 1 LAN (RJ45) x 1 Optional second LAN(RJ45) (occupies one RJ11) x 1 Docking connector (100-pin) x 1 RF antenna pass-through for WLAN and WWAN
Communication Interface	10/100/1000 base-T Ethernet 56K ITU V.92 modem Intel® Centrino® Advanced-N 6200; 802.11 a/b/g/n Bluetooth (v2.1+EDR class 2) Optional GPS Optional Gobi™2000 mobile broadband

Software	Getac Utility Getac Camera Getac V-GPS Adobe® Reader® Computrace® Compatible BIOS
Security Feature	Intel® vPro™ Technology TPM 1.2 Optional fingerprint scanner Optional smart card reader Kensington lock
Power	AC Adapter (60W, 100-240VAC, 50 / 60 Hz) Li-Ion smart battery (7800mAh) ⁱⁱ Optional Li-Ion smart battery (5200mAh)
Dimension (W x D x H) & Weight	290 x 222 x 49 mm (11.4" x 8.74" x 1.93"), 2.5 kg (5.51 lbs) ⁱⁱⁱ
Rugged Feature	MIL-STD-810G certified and IP65 certified MIL-STD-461F certified ^{iv} Optional UL1604 Class 1, Division 2, Group A, B, C, D Full magnesium alloy case Shock-protected removable HDD Vibration & drop resistant Optional EU Explosive Atmosphere ATEX Certified ^v Optional night vision
Environmental Specification	Temperature ^{vi} : - Operating: -20°C to 60°C / -4°F to 140°F - Storage: -51°C to 71°C / -60°F to 160°F Humidity: - 95% RH, non-condensing

- i Share memory size may vary by different operating system and RAM size.
- ii Battery life testing conducted under BatteryMark 4.0.1. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.
- iii Weight varies from configurations and optional accessories.
- iv MIL-STD-461F 90W AC adapter sold separately.
- v The ATEX configuration, V100-Ex, is certified for use in hazardous location zone 2. For more details, please visit Getac website.
- vi Tested by a national independent third party test lab following MIL-STD-810G.



Getac EUROPE

Germany Office - Getac Technology GmbH
Kanzlerstrasse 4
40472 Düsseldorf, Germany
Tel: +49 211 984 8190

Italy Office

Via Belvedere,
57 20043 Arcore (MB), Italy
Tel. +39 039 617720

UK Office - Getac (UK) Ltd.

Mitac house, Nedge Hill, Telford,
Shropshire, TF3 3AH, U.K.
Tel: +44 1952 207 231

Getac NORTH AMERICA

USA Office - Getac Inc.
43 Tesla, Irvine, CA 92618, USA
Toll Free: +1 886 GO GETAC
(1 886 464 3822)

Getac ASIA

China Office - Getac Mobile Ltd.

- Kunshan Office:
No.300 (Building, Processing Zone),
No.1 Avenue, Export Processing
Zone, Changjiang South Road,
Kunshan City, Jiangsu, China
Tel: +86 512 57366000 # 1408
Fax: +86 512 57382090

- Shanghai Office:

2/F, No.213, Jiangchang Third Road,
Zhabei District, Shanghai, China
Tel: +86 21 61431188 # 1032
Fax: +86 21 61401023

- Beijing Office:

Room 501, Haowei Building,
No.25 Beitai Pingzhuang Rd.,
Haidian District, Beijing, China
Tel: +86 10 62381104
+86 10 62381108 # 2040

Japan Office -

MiTAC Japan Corporation
Yasuda 8th Building 6F,
Kaigan 3-chome 3-8, Minato-ku,
Tokyo, 108-0022, Japan
Tel: +81 3 3769 8311 # 6411

Taiwan Office -

Getac Technology Corporation
5F, Building A, No. 209,
Section 1, Nangang Rd.,
Nangang Dist., Taipei City,
11568, Taiwan, R.O.C.
Tel: +886 2 2785 7888

SALES CONTACT

North America
ruggedsales@getac.com

South America
sales-getac-SAmerica@getac.com

EMEA
sales-getac-EMEA@getac.com

- Germany:
sales-getac-DACH@getac.com

- Italy:
sales-getac-Italy@getac.com

- UK:
sales-getac-UK@getac.com

Asia Pacific
sales-getac-APAC@getac.com

- China:
sales-getac-China@getac.com

- Japan:
sales-getac-Japan@getac.com

MARKETING CONTACT

Global
Globalmarketing@getac.com

North America
NorthAmericamarketing@getac.com

South America
SouthAmericamarketing@getac.com

EMEA
EMEAmarketing@getac.com

Asia Pacific
APACmarketing@getac.com

www.getac.com

Copyright © 2011 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. All specifications are subject to change without notice.
V16M05Y11