

SSF/SSH4315-C V1

43.1" Resizing LCD, 1000 nits LED Backlight, 1920x358 ultra-wide aspect ratio 16:3

The SSF/SSH4315-C V1 is a 43.1 inch color TFT-LCD display with special aspect ratio 16:3 and wide resolution 1920 x 358. It is Litemax's Spanpixel series product which designed for high brightness 1000 nits with power efficiency LED backlight. It provides LCD panel with specific aspect ratios and sunlight readable for digital signage, public transportation, exhibition hall, department store, and vending machine.

Key Features

- Resizing LCD
- Ultra-Wide Screen (16 : 3)
- High Brightness 1000 nits
- LED Backlight
- Low Power Consumption
- BL MTBF: 100,000 hours



Specifications Model Name SSF/SSH4315-C V1 Description 43.1" Resizing LCD, 1000 nits LED backlight, 1920x358 **Screen Size** 43.1" 1073.779H) x 200.210(V) Display Area (mm) 1000 cd/m² **Brightness** Resolution 1920x358 **Aspect Ratio** 16:3 **Contrast Ratio** 5750:1 Pixel Pitch (mm) 0.559(H) x 0.559(V) Pixel Pre Inch (PPI) 45 **Viewing Angle** 178°(H),178°(V) Color Saturation (NTSC) 83% **Display Colors** 16.7M **Response Time (Typical)** 6.5ms **Panel Interface** LVDS **AD Board Input Interface** DVI,HDMI,DP **AD Board Input Power DC 12V Power Consumption** 37W, 39W (with AD board) **OSD Key** 4 Keys (Power Switch, Menu, +, -) **OSD Control** Brightness, Color, Contrast, Auto Turing, H/V Position...etc **Dimensions (mm)** 1104.7(H) x 245.5(V) x 24 (T) 20.6/20.6/13.4/13.4 mm Bezel Size(U/B/L/R) Weight (Net) 5.4kg 0 °C ~ 50 °C **Operating Temperature Storage Temperature** -20 °C ~ 60 °C

SSF = Panel + LED Driving Board

SSH = Panel + LED Driving Board + AD Control Board

Specifications are subject to change without notice.


All brands or product names are trademarks or registered trademarks of their respective companies


1 2020/4/7



Mechanical Drawing


Outline Dimensions Unit:mm






2 2020/4/7







Note

A: M3 MOUNTING HOLE(16X) DP=5.0mm MAX SCREW B: M4 MOUNTING HOLE(10X) DP=7.0mm MAX SCREW

3 2020/4/7



Ordering Information	
Part Number	Description
SSF4315-CNN-A01	43.1",1000nits,1920x358,LID43C,5in1,V1
SSH4315-CNN-Q01	43.1",1000nits,1920X358,LID43C,AD8891DHP,DC12V,5in1,V1
	Optional Accessories
Part Number	Description
840612051212	ADAPTER,AC/DC,12V/5A,60W,Power-Din-4P,CWT,G99-ABF060F-N022,Efficiency-level-6,R
810618301010	CABLE,POWER,AC,1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE,POWER,AC,1830mm UK type
810618301170	CABLE,POWER,AC,1830mm Australia type
810618301031	CABLE,POWER,AC,1830mm Japan type
	Customer request
Touch	SCT (Single-Touch), PCT (Multi-Touch)
Glass	Tempered glass, AR coating

4 2020/4/7