


# W18IK3S-RKA1 18.5" Rack Mount Panel PC (Intel® 7<sup>th</sup> Generation Core™ i5 Platform)


Mechanical Design



**Rack Mount**



- |                               |                  |
|-------------------------------|------------------|
| 1. Power On Button            | 5. RS232/422/485 |
| 2. Power Reset Button         | 6. USB 3.0 x 2   |
| 3. Brightness Adjustment Knob | 7. HDMI          |
| 4. 12V DC in                  | 8. LAN x 2       |



\* Measurements shown in mm  
 \* All Dimensions are ±0.1mm  
 \* Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.

## Specifications

### System

- Processor : Intel® Core i5-7200U 2.5GHz (turbo to 3.1GHz)
- BIOS : Insyde BIOS
- System Chipset : Intel® SoC Integrated
- System Memory : 4GB DDR4-2133 SO-DIMM.Max 16GB
- Graphic Chipset : Intel® HD Graphics 620
- Storage : 64GB M.2 B Key SATA III SSD. Max. 512GB
- LAN : Intel® Gigabit-LAN Controller I211AT + PHY I219LM
- Audio : Realtek HD Audio Codec

### Input / Output :

- USB Ports : 2 x USB 3.0
- Ethernet : 2 x RJ 45-10/100/1000 Mbps
- HDMI : 1 X HDMI 1.4
- RS232 : RS232/422/485

### Power Specifications :

- Power Input : 12V DC in
- Power Consumption : 55W (Max backlight & High CPU load)

### Accessories

- External AC power cord and 110~220V AC to DC Adapter

### Panel Spec

- Size/Type : 18.5" TFT
- Resolution : 1920 x 1080
- Brightness : 350 cd/m<sup>2</sup> (typ.)
- Contrast Ratio : 1000:1 (typ.)
- Viewing Angle : -89~89(H);-89~89(V)
- Max. Colors : 16.7M (8bits/color)
- Touch Screen : 5-wire Resistive Touch

### Mechanical Specification :

- Cooling System : Fanless Design
- Mounting : VESA Mount (75x75mm)
- Dimension (W x H x D) : 483 x 310 x 73 (mm)
- IP Rating : Front side IP65

### Environment Considerations :

- Operating Temperature : 0 deg.C to 50 deg.C
- Operating Humidity : 10% to 90% (non condensing)

### OS Support

- Windows 10 IOT Enterprise

### Certification

- IEC 61850-3, IEC60068-2-64,IEC 60068-2-2, CE, FCC

