

AVerMedia

CL311-M2

Full HD HDMI 1080P 60FPS PCIe Capture Card



Features

- Max. input resolution 1920 x 1080 60fps.
- Max. capture resolution 1920 x 1080 60fps.
- Supports AV/ S-Video/ Component/ HDMI.
- Compatible with Windows® DirectShow technology.
- Supports color adjustment (brightness, contract, hue, saturation) for all inputs.
- Programmed with VBI function for broadcasting closed captions.
- Recommended for all Full HD professional capturing applications, such as the video wall system, video conference, automatic inspection, etc.

Introduction

The CL311-M2 is a PCIe HDMI frame grabber capable of capturing videos up to 1080P 60FPS. CL311-M2 is compatible with all range of audio and video sources via the HDMI or component inputs so the users can enjoy Full HD multimedia right on their computers.

Low Profile Form Factor

Suitable for small-footprint embedded platform, the compact low profile form factor design provides a better use of internal space and reduces cable routing. It increases the use of interior space for a more flexible heat spreading solution.

Hardware Video Processing

With the AVerMedia Video Engine Technology inside, it can perform various video processing tasks such as frame rate conversion, up/down scaling, de-interlacing, and so on without consuming the computing power of the target platform.

The CL311-M2 has built-in hardware video processing that implements useful video enhancing features to significantly reduce the CPU efforts. This leaves more computing resources for other utilization. In other words, this can help our clients minimize the cost of hardware platforms and development resources.

Improved Quality and Reliability

With the powerful FPGA-based design, the CL311-M2 is able to achieve a better performance and provide more improved capture quality and reliability.

Support the VBI Teletext Function

The CL311-M2 is programmed with the vertical blanking interval (VBI) function for broadcasting closed captions.

Versatile SDK

AVerMedia software development kit (SDK) is a set of development tools that allows software engineers to seamlessly integrate video capture modules into application specific systems.


AVerMedia SDK constantly updates the latest industrial standards, protocols, and media formats for optimal compatibility and to support cutting-edge technologies. AVerMedia SDK also supports various programming languages for quick and easy application, providing sample source codes.



CL311-M2

Full HD HDMI 1080P 60FPS PCIe Capture Card

Connection Diagram



Making the Connections:

- 1 HDMI Cable (not supplied)
- 2 Camcorder
- 3 Video Game
- 4 VCR/VCD/DVD Player
- 5 Dongle Cable
- 6 (Black)
- 7 S-Video Cable (not supplied)
- 8 (Red)
- 9 (White)
- 10 (Yellow)
- 11 Composite Cable (not supplied)
- 12 (Red)
- 13 (Blue)
- 14 (Green)
- 15 Component Cable (not supplied)
- 16 Example

Specifications

PCle Gen2 x1
HDMI, L/R
Embedded HDMI, PCM
48/44.1/32 KHz
HDMI AV-IN for Composite/ S-Video/ Component/ Audio
Composite/ S-Video/ Component HDMI (1.3a / HDCP 1.3)/ Audio L/R
YUY2 (4:2:2), YVYU (4:2:2), UYVY (4:2:2)
8-bit
1 Ch
1920 x 1080 60fps
1920 x 1080 60fps

Encoding Mode	Software Encoding
Multi-Card Support	Yes
Supported OS	Windows 7/ 8.1/ 10 (32/ 64 bits)*
Form Factor	PCIe Low Profile
Dimension (L x W)	138 x 68.78 mm
Power Consumption	4.6W
Operating Temperature	0°C ~ 65°C
Operating Humidity	5% - 80% Relative Humidity
Safety Certification	FCC / CE

All specifications are subject to change without prior notice.

*Linux driver is coming soon

Ordering Information

- CL311-M2: Full HD HDMI 1080P 60FPS PCIe Capture Card
- SDK kits :
 - SDK Basic
 - SDK Pro
 - SDK Premium add-on kits

- Accessories:
 - Dongle cable
 - Low-profile bracket



©2018 by AVerMedia Technologies, Inc. All rights reserved.

No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice. Made in Taiwan



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660